



REPUBLIK INDONESIA
KEMENTERIAN HUKUM DAN HAK ASASI MANUSIA

SURAT PENCATATAN CIPTAAN

Dalam rangka perlindungan ciptaan di bidang ilmu pengetahuan, seni dan sastra berdasarkan Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta, dengan ini menerangkan:

Nomor dan tanggal permohonan : EC00202263142, 9 September 2022

Pencipta

Nama : **Hozairi, Muhsi dkk**
Alamat : Jl. Semmei Jaya 5B1 No. 5 Surabaya, Surabaya, JAWA TIMUR, 60191
Kewarganegaraan : Indonesia

Pemegang Hak Cipta

Nama : **Universitas Islam Madura**
Alamat : Jl. PP Mifathul Ulum Bettet Pamekasan, Jawa Timur, Indonesia, Pamekasan, JAWA TIMUR, 69317
Kewarganegaraan : Indonesia

Jenis Ciptaan : **Program Komputer**
Judul Ciptaan : **SIMUI (Sistem Informasi Majelis Ulama Indonesia)**

Tanggal dan tempat diumumkan untuk pertama kali di wilayah Indonesia atau di luar wilayah Indonesia : 23 Agustus 2022, di Pamekasan

Jangka waktu perlindungan : Berlaku selama 50 (lima puluh) tahun sejak Ciptaan tersebut pertama kali dilakukan Pengumuman.

Nomor pencatatan : 000378875

adalah benar berdasarkan keterangan yang diberikan oleh Pemohon.
Surat Pencatatan Hak Cipta atau produk Hak terkait ini sesuai dengan Pasal 72 Undang-Undang Nomor 28 Tahun 2014 tentang Hak Cipta.



a.n Menteri Hukum dan Hak Asasi Manusia
Direktur Jenderal Kekayaan Intelektual
u.b.
Direktur Hak Cipta dan Desain Industri

Anggoro Dasananto
NIP.196412081991031002

Disclaimer:

Dalam hal pemohon memberikan keterangan tidak sesuai dengan surat pernyataan, Menteri berwenang untuk mencabut surat pencatatan permohonan.

LAMPIRAN PENCIPTA

No	Nama	Alamat
1	Hozairi	Jl. Semmei Jaya 5B1 No. 5 Surabaya
2	Muhsi	Jl. Masjid Bagandan 94 Pamekasan
3	Ali Fikri	Dusun Kacangan, Pakamban Laok, Pragaan
4	Rofiudin	Dusun Campaka, Pasongsongan
5	Anwari	Temoran, Omben



SISTEM INFORMASI **MUI** PAMEKASAN




BUKU PANDUAN

TEKNIK INFORMATIKA
FAKULTAS TEKNIK
UNIVERSITAS ISLAM MADURA
2022


PANDUAN PROGRAM APLIKASI SISTEM INFORMASI MUI KABUPATEN PAMEKASAN

1. Halaman Log In




Silahkan akses <http://localhost/webmui/administrator> maka halaman pertama yang muncul adalah halaman login. Silahkan diisi username dan password yang benar, username dan password sementara adalah username = admin dan password = admin ketika selesai lalu klik tombol login

2. Halaman Dashboard




Setelah berhasil login maka akan muncul pertama kali adalah halaman dashboard, pada halaman ini berisi tentang informasi jumlah pengunjung dari berbagai web browser serta jumlah pengunjung bulanan serta jumlah views dalam postingan populer. Sedangkan side bar di sebelah kiri tersebut merupakan macam-macam menu atau modul yang tersedia dalam aplikasi ini.

3. Menu Berita




Pada menu berita terdapat tiga sub menu (1) List Berita (2) Post Berita (3) Kategori. Halaman ini merupakan halaman list berita yang berisi berita-berita yang sudah pernah diposting dalam website ini dan di halaman ini juga bisa menambah mengedit dan menghapus berita

4. Halaman Post Berita




Halaman ini untuk untuk menambahkan atau post berita baru dengan mengisi sesuai form yang sudah disediakan, pertama mengisi judul berita kedua mengisi kategori dari berita, ketiga mengisi gambar berita dan keempat mengisi isi dari berita tersebut apabila sudah selesai makan klik tombol publish.

5. Halaman Kategori Berita




Halaman ini merupakan halaman kategori berita dimana pada halaman ini kita bisa menambah mengahapus dan mengedit kategori berita sesuai dengan kategori berita yang kita posting.

6. Halaman Pengguna




Menu selanjutnya adalah menu pengguna(admin), pengguna disini merupakan orang yang bisa mengontrol isi atau konten dari aplikasi ini, pada halaman ini berisi data pengguna(admin) yang tersimpan dalam aplikasi ini, dalam halaman ini kita bisa mengahapus mengedit dan menambah pengguna(admin) dengan mengeklik tombol add pengguna maka akan muncul seperti gambar dibawah ini:




Ini merupakan form untuk menambah pengguna dengan mengisi nama, email, jenis kelamin, username, password, no hp, level dan photo, pada form level kita bisa memilih sesuai dengan tingkat akses dari pengguna tersebut apabila pengguna tersebut akan mengakses semua menu dalam aplikasi ini maka pilih level administrator dan apabila pengguna tersebut hanya bisa mengakses sebagian dari menu dalam aplikasi ini seperti menu berita, data pengurus, data ulama, agenda dan pengumuman maka pilih level author.

7. Halaman Agenda




Pada halaman agenda ini berisi tentang informasi agenda-agenda MUI Pamekasan baik dari nama agenda, tempat, tanggal, waktu dan siapa yang mengimputkan agenda tersebut, selain itu juga bisa mengedit dan menghapus serta mengupdate agenda terbaru MUI dengan mengklik tombol add agenda di pojok kiri atas maka akan muncul seperti gambar dibawah ini:




Gambar diatas merupakan form pengisian untuk mengupdate atau menambah agenda baru dengan mengisi nama, deskripsi, tanggal mulai dan tanggal selesai, tempat, waktu dan keterangan contoh agenda disini adalah ketika MUI akan melakukan kegiatan-kegiatan agar masyarakat luas bisa mengetahui apa saja kegiatan MUI dan bisa juga melakukan open donasi zakat untuk anak yatim dan fakir miskin.

8. Halaman Pengumuman




Halaman ini berisi tentang pengumuman yang dikeluarkan oleh MUI Pamekasan misalkan penentuan 1 Romadhon itu bisa di informasikan melalui halaman ini dengan cara menambah pengumuman baru dengan menge klik tombol add pengumuman maka akan muncul gambar dibawah ini:




Nah pada isian form ini untuk menambah pengumuman baru dengan mengisi judul dan deskripsi dari apa yang di umumkan.

9. Halaman Download(Fatwa)




Halaman ini adalah merupakan halaman download(fatwa) yang berisi tentang fatwa-fatwa yang dikeluarkan oleh MUI fatwa disini berupa file yang dapat di upload dan di download oleh masyarakat cara mengupload fatwa harus klik tombol add file:




Setelah mengklik add file maka akan muncul form pengisian seperti gambar diatas dimana itumerupakan form pengisian untuk manmbah fatwa baru dengan mengisi judul, deskripsi, dikeluarkan oleh siapa, dan file yang mempunyai ekstensi yang sudah disesuaikan seperti pdf/doc/docx/ppt/pptx/zip lalu klik simpan.

10. Menu Gallery




Pada menu gallery ini terdapat dua sub menu yakni menu album dan menu photo dan gambar dia atas ini adalah merupakan halaman dari menu album dimana disini kita bisa melihat album dari berbagai macam kegiatan-kegiatan yang pernah dilakukan oleh MUI sebagai dokumentasi pada halaman ini hanya menambahkan albumnya saja sedangkan untuk menambahkan photonya ada pada halaman photo. Untuk menambah album bisa menge klik tombol add album :




Gambar diatas adalah form untuk menambah album dengan mengisi nama dan cover dari album itu.

11. Menu Photo




Halaman ini adalah halaman yang berisi foto-foto dokumentasi kegiatan yang dilakukan oleh MUI selain sebagai pengarsipan foto kegiatan juga bisa sebagai bahan informasi kepada masyarakat bahwa MUI melakukan kegiatan yang tercantum dalam foto tersebut juga bisa menambah foto kegiatan terbaru dengan mengeklik tombol add photo :




Setelah ngeklik tombol add photo makan akan muncul form pengisian seperti gambar diatas yang bisa berisi judul, album dan photo. Pada form album di sesuaikan dengan album kegiatan yang sudah di inputkan sebelumnya.

12. Menu Inbox (Konsultasi)



Padan halaman ini berisi tentang masyarakat yang melakukan konsultasi kepada MUI Pamekasan yang berisi nama, email dan pesan dari masyarakat yang melakukan konsultasi sehingga admin dari MUI pamekasan bisa mekukan konfirmasi melalui email dari yang konsultasi.

13. Menu Komentar




Halaman ini adalah halaman komentar yang dikirimkan oleh masyarakat yang mengisi komentar pada halaman berita di website MUI.

14. Menu Sign Out

Menu ini merupakan menu untuk keluar dari halaman administrator.

LAMPIRAN

Coding Sistem Informasi MUI Pamekasan dengan Framework Codeigniter 3



1. Login

File v_login

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <title>MUI Pamekasan | Log in</title>
  <!-- Tell the browser to be responsive to screen width -->
  <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
  <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
  <!-- Bootstrap 3.3.6 -->
  <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
  <!-- Theme style -->
  <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
  <!-- iCheck -->
  <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/iCheck/square/blue.css'?>">

</head>
<body class="hold-transition login-page">
<div class="login-box">
  <div>
    <p><?php echo $this->session->flashdata('msg');?></p>
  </div>
</div>
```

```

<!-- /.login-logo -->
<div class="login-box-body">
  <p class="login-box-msg"> </p><hr/>

  <form action="<?php echo site_url(). 'admin/login/auth'?">
method="post">
  <div class="form-group has-feedback">
    <input type="text" name="username" class="form-control"
placeholder="Username" required>
    <span class="glyphicon glyphicon-user form-control-
feedback"></span>
  </div>
  <div class="form-group has-feedback">
    <input type="password" name="password" class="form-control"
placeholder="Password" required>
    <span class="glyphicon glyphicon-lock form-control-
feedback"></span>
  </div>
  <div class="row">
    <div class="col-xs-8">
      <div class="checkbox icheck">
        <label>

          </label>
        </div>
      </div>
    <!-- /.col -->
    <div class="col-xs-4">
      <button type="submit" class="btn btn-primary btn-block btn-
flat">Sign In</button>
    </div>
    <!-- /.col -->
  </div>
</form>

<!-- /.social-auth-links -->
<hr/>
<p><center>Copyright <?php echo date('Y');?> by Ali Fikri <br/>
All Right Reserved</center></p>
</div>
<!-- /.login-box-body -->
</div>
<!-- /.login-box -->

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url(). 'assets/plugins/jQuery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url(). 'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- iCheck -->

```

```

<script src="<?php echo
base_url().'assets/pluguns/iCheck/ichack.min.js'?"></script>
<script>
$(function () {
    $('input').iCheck({
        checkboxClass: 'icheckbox_square-blue',
        radioClass: 'iradio_square-blue',
        increaseArea: '20%' // optional
    });
});
</script>
</body>
</html>

```

File m_login

```

<?php
class M_login extends CI_Model{
    function cekadmin($u,$p){
        $hasil=$this->db->query("SELECT * FROM tbl_pengguna WHERE
pengguna_username='$u' AND pengguna_password=md5('$p')");
        return $hasil;
    }
    function cekmasjid($u,$p){
        $hasil=$this->db->query("SELECT * FROM tbl_masjid WHERE
masjid_username='$u' AND masjid_password=md5('$p')");
        return $hasil;
    }
}
?>

```

2. Dashboard

File v_dashboard

```

<!--Counter Inbox-->
<?php
    error_reporting(0);
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Dashboard</title>
    <!-- Tell the browser to be responsive to screen width -->
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?">>
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <!-- Bootstrap 3.3.6 -->

```



```

<link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
<!-- Font Awesome -->
<link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
<!-- Ionicons -->
<!-- jvectormap -->
<link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/jvectormap/jquery-jvectormap-
1.2.2.css'?>">
<!-- Theme style -->
<link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the load.
-->
<link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
<?php
/* Mengambil query report*/
foreach($visitor as $result){
    $bulan[] = $result->tgl; //ambil bulan
    $value[] = (float) $result->jumlah; //ambil nilai
}
/* end mengambil query*/

?>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

<!--Header-->
<?php
$this->load->view('admin/v_header');
?>

<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
<!-- sidebar: style can be found in sidebar.less -->
<section class="sidebar">

<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
<li class="header">Menu Utama</li>
<li class="active">
<a href="<?php echo base_url().'admin/dashboard'?>">
<i class="fa fa-home"></i> <span>Dashboard</span>
<span class="pull-right-container">
<small class="label pull-right"></small>
</span>
</a>
</li>
<li class="treeview">
<a href="#">
<i class="fa fa-newspaper-o"></i>
<span>Berita</span>
<span class="pull-right-container">
<i class="fa fa-angle-left pull-right"></i>
</span>

```

```

        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
            <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
            <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
        </ul>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-users"></i>
            <span>pengguna</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/pengguna'?"><i
class="fa fa-users"></i> Admin</a></li>
            <li><a href="<?php echo base_url().'admin/masjid'?"><i
class="fa fa-users"></i> Masjid</a></li>
        </ul>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/agenda'?">
            <i class="fa fa-calendar"></i> <span>Agenda</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/pengumuman'?">
            <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/files'?">
            <i class="fa fa-download"></i> <span>Download</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-camera"></i>
            <span>Gallery</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>

```

```

        <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
    </ul>
</li>

<li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>
    </ul>
</li>

<li>
    <a href="<?php echo base_url().'admin/inbox'?">
        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'admin/komentar'?">
        <i class="fa fa-comments"></i> <span>Komentar</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'administrator/logout'?">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>

```

```

        Dashboard
        <small></small>
    </h1>
    <ol class="breadcrumb">
        <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
        <li class="active">Dashboard</li>
    </ol>
</section>

<!-- Main content -->
<section class="content">
    <!-- Info boxes -->
    <div class="row">
        <div class="col-md-3 col-sm-6 col-xs-12">
            <div class="info-box">
                <span class="info-box-icon bg-aqua"><i class="fa fa-
chrome"></i></span>
                <?php
                    $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Chrome'");
                    $jml=$query->num_rows();
                ?>
                <div class="info-box-content">
                    <span class="info-box-text">Chrome</span>
                    <span class="info-box-number"><?php echo $jml;?></span>
                </div>
                <!-- /.info-box-content -->
            </div>
            <!-- /.info-box -->
        </div>
        <!-- /.col -->
        <div class="col-md-3 col-sm-6 col-xs-12">
            <div class="info-box">
                <span class="info-box-icon bg-red"><i class="fa fa-
firefox"></i></span>
                <?php
                    $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Firefox' OR
pengunjung_perangkat='Mozilla'");
                    $jml=$query->num_rows();
                ?>
                <div class="info-box-content">
                    <span class="info-box-text">Mozilla Firefox</span>
                    <span class="info-box-number"><?php echo $jml;?></span>
                </div>
                <!-- /.info-box-content -->
            </div>
            <!-- /.info-box -->
        </div>
        <!-- /.col -->

        <!-- fix for small devices only -->
        <div class="clearfix visible-sm-block"></div>

        <div class="col-md-3 col-sm-6 col-xs-12">
            <div class="info-box">
                <span class="info-box-icon bg-green"><i class="fa fa-
bug"></i></span>
                <?php
                    $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Googlebot'");

```



```

                $jml=$query->num_rows();
            ?>
            <div class="info-box-content">
                <span class="info-box-text">Googlebot</span>
                <span class="info-box-number"><?php echo $jml;?></span>
            </div>
            <!-- /.info-box-content -->
        </div>
        <!-- /.info-box -->
    </div>
    <!-- /.col -->
    <div class="col-md-3 col-sm-6 col-xs-12">
        <div class="info-box">
            <span class="info-box-icon bg-yellow"><i class="fa fa-
opera"></i></span>
            <?php
                $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Opera'");
                $jml=$query->num_rows();
            ?>
            <div class="info-box-content">
                <span class="info-box-text">Opera</span>
                <span class="info-box-number"><?php echo $jml;?></span>
            </div>
            <!-- /.info-box-content -->
        </div>
        <!-- /.info-box -->
    </div>
    <!-- /.col -->
</div>
<!-- /.row -->

<div class="row">
    <div class="col-md-12">
        <div class="box">
            <div class="box-header with-border">
                <h3 class="box-title">Pengunjung bulan ini</h3>

            </div>
            <!-- /.box-header -->
            <div class="box-body">
                <div class="row">
                    <div class="col-md-12">

                        <div class="col-md-12">
                            <canvas id="canvas" width="1000"
height="280"></canvas>
                        </div>
                        <!-- /.chart-responsive -->
                    </div>
                    <!-- /.col -->

                    <!-- /.col -->
                </div>
                <!-- /.row -->
            </div>
            <!-- ./box-body -->

            <!-- /.box-footer -->
        </div>
    </div>
</div>

```

```

        </div>
        <!-- /.col -->
    </div>
    <!-- /.row -->

    <!-- Main row -->
    <div class="row">
        <!-- Left col -->
        <div class="col-md-8">
            <!-- MAP & BOX PANE -->
            <div class="box box-success">
                <div class="box-header with-border">
                    <h3 class="box-title">Posting Populer</h3>

                    <table class="table">
                        <?php
                            $query=$this->db->query("SELECT * FROM tbl_tulisan
ORDER BY tulisan_views DESC");
                            foreach ($query->result_array() as $i) :
                                $tulisan_id=$i['tulisan_id'];
                                $tulisan_judul=$i['tulisan_judul'];
                                $tulisan_views=$i['tulisan_views'];
                            ?>
                                <tr>
                                    <td><?php echo $tulisan_judul;?></td>
                                    <td><?php echo $tulisan_views.' Views';?></td>
                                </tr>
                            <?php endforeach;?>
                        </table>
                    </div>

                    <!-- /.box-body -->
                </div>
            <!-- /.box -->

            <!-- /.box -->
        </div>
        <!-- /.col -->

        <div class="col-md-4">
            <!-- Info Boxes Style 2 -->
            <div class="info-box bg-yellow">
                <span class="info-box-icon"><i class="fa fa-
safari"></i></span>
                <?php
                    $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Safari'");
                    $jml=$query->num_rows();
                ?>
                <div class="info-box-content">
                    <span class="info-box-text">Safari</span>
                    <span class="info-box-number"><?php echo
number_format($jml);?></span>

                    <div class="progress">
                        <div class="progress-bar" style="width: 100%"></div>
                    </div>
                    <span class="progress-description">
                        Pengunjung
                    </span>
                </div>
            </div>
        </div>
    </div>

```

```

        <!-- /.info-box-content -->
    </div>
    <!-- /.info-box -->
    <div class="info-box bg-green">
        <span class="info-box-icon"><i class="fa fa-
globe"></i></span>
        <?php
            $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE pengunjung_perangkat='Other' OR
pengunjung_perangkat='Internet Explorer'");
            $jml=$query->num_rows();
            ?>
        <div class="info-box-content">
            <span class="info-box-text">Lainnya</span>
            <span class="info-box-number"><?php echo
number_format($jml);?></span>

            <div class="progress">
                <div class="progress-bar" style="width: 100%"></div>
            </div>
            <span class="progress-description">
                Pengunjung
            </span>
        </div>
    <!-- /.info-box-content -->
</div>
<!-- /.info-box -->
<div class="info-box bg-red">
    <span class="info-box-icon"><i class="fa fa-
users"></i></span>
    <?php
        $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE
DATE_FORMAT(pengunjung_tanggal,'%m%y')=DATE_FORMAT (DATE_SUB (CURDATE ()
, INTERVAL 1 MONTH), '%m%y')");
        $jml=$query->num_rows();
        ?>
    <div class="info-box-content">
        <span class="info-box-text">Pengunjung Bulan
Lalu</span>
        <span class="info-box-number"><?php echo
number_format($jml);?></span>

        <div class="progress">
            <div class="progress-bar" style="width: 100%"></div>
        </div>
        <span class="progress-description">
            Pengunjung
        </span>
    </div>
    <!-- /.info-box-content -->
</div>
<!-- /.info-box -->
<div class="info-box bg-aqua">
    <span class="info-box-icon"><i class="fa fa-
users"></i></span>
    <?php
        $query=$this->db->query("SELECT * FROM
tbl_pengunjung WHERE
DATE_FORMAT(pengunjung_tanggal,'%m%y')=DATE_FORMAT (CURDATE () , '%m%y') "
);

```

```

        $jml=$query->num_rows();
        ?>
        <div class="info-box-content">
            <span class="info-box-text">Pengunjung Bulan Ini</span>
            <span class="info-box-number"><?php echo
number_format($jml);?></span>

            <div class="progress">
                <div class="progress-bar" style="width: 100%"></div>
            </div>
            <span class="progress-description">
                Pengunjung
            </span>
        </div>
        <!-- /.info-box-content -->
    </div>
    <!-- /.info-box -->

    <!-- PRODUCT LIST -->

    <!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

</div>
<!-- ./wrapper -->

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?>"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?>"></script>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?>"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?>"></script>
<!-- Sparkline -->
<script src="<?php echo
base_url().'assets/plugins/sparkline/jquery.sparkline.min.js'?>"></sc
ript>
<!-- jvectormap -->
<script src="<?php echo base_url().'assets/plugins/jvectormap/jquery-
jvectormap-1.2.2.min.js'?>"></script>

```



```

<script src="<?php echo base_url().'assets/plugins/jvectormap/jquery-
jvectormap-world-mill-en.js'?>"></script>
<!-- SlimScroll 1.3.0 -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?>"></
script>
<!-- ChartJS 1.0.1 -->
<script src="<?php echo
base_url().'assets/plugins/chartjs/Chart.min.js'?>"></script>
<!-- AdminLTE dashboard demo (This is only for demo purposes) -->
<script src="<?php echo
base_url().'assets/dist/js/pages/dashboard2.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?>"></script>

<script>

    var lineChartData = {
        labels : <?php echo json_encode($bulan);?>,
        datasets : [

            {
                fillColor: "rgba(60,141,188,0.9)",
                strokeColor: "rgba(60,141,188,0.8)",
                pointColor: "#3b8bba",
                pointStrokeColor: "#fff",
                pointHighlightFill: "#fff",
                pointHighlightStroke: "rgba(152,235,239,1)",
                data : <?php echo json_encode($value);?>
            }

        ]

    }

    var myLine = new
Chart(document.getElementById("canvas").getContext("2d")).Line(lineCh
artData);

    var canvas = new Chart(myLine).Line(lineChartData, {
        scaleShowGridLines : true,
        scaleGridLineColor : "rgba(0,0,0,.005)",
        scaleGridLineWidth : 0,
        scaleShowHorizontalLines: true,
        scaleShowVerticalLines: true,
        bezierCurve : true,
        bezierCurveTension : 0.4,
        pointDot : true,
        pointDotRadius : 4,
        pointDotStrokeWidth : 1,
        pointHitDetectionRadius : 2,
        datasetStroke : true,
        tooltipCornerRadius: 2,
        datasetStrokeWidth : 2,
        datasetFill : true,
        legendTemplate : "<ul class=\"<%=name.toLowerCase()>-
legend\"><% for (var i=0; i<datasets.length; i++) {&gt;<li><span
style=\"background-
color:<%=datasets[i].strokeColor%>\"></span><%if (datasets[i].label) {&gt;
<%=datasets[i].label%><}&gt;</li><}&gt;</ul>",

```

```

        responsive: true
    });

</script>

</body>
</html>

```

File m_pengunjung

```

<?php
class M_pengunjung extends CI_Model{

    function statistik_pengunjung(){
        $query = $this->db->query("SELECT
DATE_FORMAT(pengunjung_tanggal, '%d') AS tgl, COUNT(pengunjung_ip) AS
jumlah FROM tbl_pengunjung WHERE
MONTH(pengunjung_tanggal)=MONTH(CURDATE()) GROUP BY
DATE(pengunjung_tanggal)");

        if($query->num_rows() > 0){
            foreach($query->result() as $data){
                $hasil[] = $data;
            }
            return $hasil;
        }
    }

    function visitor_this_year(){
        $query = $this->db->query("SELECT
DATE_FORMAT(pengunjung_tanggal, '%M') AS bulan, COUNT(pengunjung_ip) AS
jumlah FROM tbl_pengunjung WHERE
YEAR(pengunjung_tanggal)=YEAR(CURDATE()) GROUP BY
MONTH(pengunjung_tanggal)");

        if($query->num_rows() > 0){
            foreach($query->result() as $data){
                $hasil[] = $data;
            }
            return $hasil;
        }
    }

    function get_all_visitors(){
        $hsl=$this->db->query("SELECT * FROM tbl_pengunjung");
        return $hsl;
    }

    function get_sum_visitor_last_year(){
        $hsl=$this->db->query("SELECT COUNT(pengunjung_ip) AS
visitor_last_year FROM tbl_pengunjung WHERE
YEAR(pengunjung_tanggal)=YEAR( DATE_SUB(CURDATE(), INTERVAL 1
YEAR))");
        return $hsl;
    }

    function get_sum_visitor_this_year(){
        $hsl=$this->db->query("SELECT COUNT(pengunjung_ip) AS jumlah
FROM tbl_pengunjung WHERE YEAR(pengunjung_tanggal)=YEAR(CURDATE())");
        return $hsl;
    }
}

```

```

function get_average_perbulan() {
    $hsl=$this->db->query("SELECT
COUNT(pengunjung_ip)/COUNT(DISTINCT MONTH(pengunjung_tanggal)) AS
jumlah FROM tbl_pengunjung WHERE
YEAR(pengunjung_tanggal)=YEAR(CURDATE())");
    return $hsl;
}

function get_sum_visitor_this_month() {
    $hsl=$this->db->query("SELECT COUNT(pengunjung_ip) AS jumlah
FROM tbl_pengunjung WHERE
MONTH(pengunjung_tanggal)=MONTH(CURDATE())");
    return $hsl;
}

function get_sum_visitor_last_month() {
    $hsl=$this->db->query("SELECT COUNT(pengunjung_ip) AS jumlah
FROM tbl_pengunjung WHERE
MONTH(pengunjung_tanggal)=MONTH(DATE_SUB(CURDATE(), INTERVAL 1
MONTH))");
    return $hsl;
}

function get_average_perday() {
    $hsl=$this->db->query("SELECT
COUNT(pengunjung_ip)/COUNT(DISTINCT DAY(pengunjung_tanggal)) AS
jumlah FROM tbl_pengunjung WHERE
MONTH(pengunjung_tanggal)=MONTH(CURDATE())");
    return $hsl;
}

function simpan_user_agent($user_ip,$agent) {
    $hsl=$this->db->query("INSERT INTO tbl_pengunjung
(pengunjung_ip,pengunjung_perangkat) VALUES('$user_ip','$agent)");
    return $hsl;
}

function cek_ip($user_ip) {
    $hsl=$this->db->query("SELECT * FROM tbl_pengunjung WHERE
pengunjung_ip='$user_ip' AND DATE(pengunjung_tanggal)=CURDATE()");
    return $hsl;
}

function count_visitor() {
    $user_ip=$_SERVER['REMOTE_ADDR'];
    if ($this->agent->is_browser()) {
        $agent = $this->agent->browser();
    }elseif ($this->agent->is_robot()) {
        $agent = $this->agent->robot();
    }elseif ($this->agent->is_mobile()) {
        $agent = $this->agent->mobile();
    }else {
        $agent='Other';
    }
    $cek_ip=$this->db->query("SELECT * FROM tbl_pengunjung WHERE
pengunjung_ip='$user_ip' AND DATE(pengunjung_tanggal)=CURDATE()");
    if($cek_ip->num_rows() <= 0) {
        $hsl=$this->db->query("INSERT INTO tbl_pengunjung
(pengunjung_ip,pengunjung_perangkat) VALUES('$user_ip','$agent)");
        return $hsl;
    }
}

```

```
}  
}
```

3. Menu Berita

File v_tulisan

```
<!--Counter Inbox-->  
<?php  
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE  
inbox_status='1'");  
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE  
komentar_status='0'");  
    $jum_comment=$query2->num_rows();  
    $jum_pesan=$query->num_rows();  
?>  
<!DOCTYPE html>  
<html>  
<head>  
    <meta charset="utf-8">  
    <meta http-equiv="X-UA-Compatible" content="IE=edge">  
    <title>MUI Pamekasan | List Berita</title>  
    <!-- Tell the browser to be responsive to screen width -->  
    <meta content="width=device-width, initial-scale=1, maximum-  
scale=1, user-scalable=no" name="viewport">  
    <link rel="shortcut icon" type="text/css" href="<?php echo  
base_url().'assets/images/favicon.png'?">  
    <!-- Bootstrap 3.3.6 -->  
    <link rel="stylesheet" href="<?php echo  
base_url().'assets/bootstrap/css/bootstrap.min.css'?">  
    <!-- Font Awesome -->  
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-  
awesome/css/font-awesome.min.css'?">  
    <!-- DataTables -->  
    <link rel="stylesheet" href="<?php echo  
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?">  
    <!-- Theme style -->  
    <link rel="stylesheet" href="<?php echo  
base_url().'assets/dist/css/AdminLTE.min.css'?">  
    <!-- AdminLTE Skins. Choose a skin from the css/skins  
    folder instead of downloading all of them to reduce the load.  
-->  
    <link rel="stylesheet" href="<?php echo  
base_url().'assets/dist/css/skins/_all-skins.min.css'?">  
    <link rel="stylesheet" type="text/css" href="<?php echo  
base_url().'assets/plugins/toast/jquery.toast.min.css'?">/>  
  
    <?php  
        function limit_words($string, $word_limit){  
            $words = explode(" ", $string);  
            return implode("  
", array_splice($words, 0, $word_limit));  
        }  
  
    ?>  
  
</head>  
<body class="hold-transition skin-blue sidebar-mini">  
<div class="wrapper">  
  
    <?php  
        $this->load->view('admin/v_header');
```

```

?>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
  <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar">

    <!-- /.search form -->
    <!-- sidebar menu: : style can be found in sidebar.less -->
    <ul class="sidebar-menu">
      <li class="header">Menu Utama</li>
      <li class="active">
        <a href="<?php echo base_url().'admin/dashboard'?>">
          <i class="fa fa-home"></i> <span>Dashboard</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-newspaper-o"></i>
          <span>Berita</span>
          <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
          </span>
        </a>
        <ul class="treeview-menu">
          <li><a href="<?php echo base_url().'admin/tulisan'?>"><i
class="fa fa-list"></i> List Berita</a></li>
          <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?>"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
          <li><a href="<?php echo base_url().'admin/kategori'?>"><i
class="fa fa-wrench"></i> Kategori</a></li>
        </ul>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/pengguna'?>">
          <i class="fa fa-users"></i> <span>Pengguna</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/agenda'?>">
          <i class="fa fa-calendar"></i> <span>Agenda</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/pengumuman'?>">
          <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
    </li>

```

```

        <a href="<?php echo base_url().'admin/files'?">
            <i class="fa fa-download"></i> <span>Download</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-camera"></i>
            <span>Gallery</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
            <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
        </ul>
    </li>

    <li class="treeview">
        <a href="#">
            <i class="fa fa-user"></i>
            <span>Data</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
            <li><a href="<?php echo base_url().'admin/guru'?"><i
class="fa fa-users"></i> Data Ulama</a></li>
        </ul>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/inbox'?">
            <i class="fa fa-envelope"></i> <span>Inbox</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
            </span>
        </a>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/komentar'?">
            <i class="fa fa-comments"></i> <span>Komentar</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
            </span>
        </a>
    </li>

    <li>

```

```

        <a href="<?php echo base_url().'administrator/logout'?">
            <i class="fa fa-sign-out"></i> <span>Sign Out</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            List Berita
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li><a href="#">Berita</a></li>
            <li class="active">List Berita</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><span class="fa fa-
plus"></span> Post Tulisan</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
style="font-size:13px;">
                                <thead>
                                    <tr>
                                        <th>Gambar</th>
                                        <th>Judul</th>
                                        <th>Tanggal</th>
                                        <th>Author</th>
                                        <th>Baca</th>
                                        <th>Kategori</th>
                                        <th style="text-align:right;">Aksi</th>
                                    </tr>
                                </thead>
                                <tbody>

                                    <?php
                                        $no=0;
                                        foreach ($data->result_array() as
$) :

```

```

$no++;
$tulisan_id=$i['tulisan_id'];

$tulisan_judul=$i['tulisan_judul'];

$tulisan_isi=$i['tulisan_isi'];

$tulisan_tanggal=$i['tanggal'];

$tulisan_author=$i['tulisan_author'];

$tulisan_gambar=$i['tulisan_gambar'];

$tulisan_views=$i['tulisan_views'];
    $kategori_id=$i['tulisan_kategori_id'];
    $kategori_nama=$i['tulisan_kategori_nama'];

    ?>
    <tr>
        <td></td>
        <td><?php echo $tulisan_judul;?></td>
        <td><?php echo
$tulisan_tanggal;?></td>
        <td><?php echo
$tulisan_author;?></td>
        <td><?php echo $tulisan_views;?></td>
        <td><?php echo $kategori_nama;?></td>
        <td style="text-align:right;">
            <a class="btn" href="<?php echo
base_url().'admin/tulisan/get_edit/'.$tulisan_id;?>"><span class="fa
fa-pencil"></span></a>
            <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $tulisan_id;?>"><span class="fa fa-
trash"></span></a>
        </td>
    </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

```



```

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
  <!-- Create the tabs -->
  <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
  </ul>
  <!-- Tab panes -->
  <div class="tab-content">
    <!-- Home tab content -->
    <div class="tab-pane" id="control-sidebar-home-tab">
      <h3 class="control-sidebar-heading">Recent Activity</h3>
      <ul class="control-sidebar-menu">
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-birthday-cake bg-red"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

              <p>Will be 23 on April 24th</p>
            </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-user bg-yellow"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

              <p>New phone +1(800)555-1234</p>
            </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

              <p>nora@example.com</p>
            </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-file-code-o bg-green"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

```

```

        <p>Execution time 5 seconds</p>
    </div>
</a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Custom Template Design
                <span class="label label-danger pull-
right">70%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Back End Framework
                <span class="label label-primary pull-
right">68%</span>
            </h4>

            <div class="progress progress-xxs">

```

```

        <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
        </div>
        </a>
    </li>
</ul>
<!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
    <form method="post">
        <h3 class="control-sidebar-heading">General Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Report panel usage
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Some information about this general settings option
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Allow mail redirect
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Other sets of options are available
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Expose author name in posts
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Allow the user to show his name in blog posts
            </p>
        </div>
        <!-- /.form-group -->

        <h3 class="control-sidebar-heading">Chat Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Show me as online
                <input type="checkbox" class="pull-right" checked>

```

```

        </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
        <label class="control-sidebar-subheading">
            Turn off notifications
            <input type="checkbox" class="pull-right">
        </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
        <label class="control-sidebar-subheading">
            Delete chat history
            <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
        </label>
    </div>
    <!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<?php foreach ($data->result_array() as $i) :
    $tulisan_id=$i['tulisan_id'];
    $tulisan_judul=$i['tulisan_judul'];
    $tulisan_gambar=$i['tulisan_gambar'];
    ?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo
$tulisan_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Berita</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/tulisan/hapus_tulisan'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden"
name="kode" value="<?php echo $tulisan_id;?>" />
                        <input type="hidden" value="<?php echo
$tulisan_gambar;?>" name="gambar">

```

```

                <p>Apakah Anda yakin mau menghapus
Posting <b><?php echo $tulisan_judul;?></b> ?</p>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
            </div>
        </form>
    </div>
</div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?>"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?>"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?>"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?>"
></script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?>"></
script>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?>"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?>"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?>"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });
    });
</script>

```

```

<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

<?php elseif($this->session->flashdata('msg')== 'success') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Berita Berhasil disimpan ke database.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'info') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Info',
            text: "Berita berhasil di update",
            showHideTransition: 'slide',
            icon: 'info',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#00C9E6'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Berita Berhasil dihapus.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php else :?>

<?php endif;?>
</body>
</html>

```

File v_addtulisan

```

<!--Counter Inbox-->
<?php

```

```

        $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
        $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
        $jum_comment=$query2->num_rows();
        $jum_pesan=$query->num_rows();
    ?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>Add Post</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- daterange picker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- bootstrap datepicker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?>">
    <!-- iCheck for checkboxes and radio inputs -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/iCheck/all.css'?>">
    <!-- Bootstrap Color Picker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/colorpicker/bootstrap-
colorpicker.min.css'?>">
    <!-- Bootstrap time Picker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?>">
    <!-- Select2 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/select2/select2.min.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
    -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
    $this->load->view('admin/v_header');
    ?>

```

```

<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
  <!-- sidebar: style can be found in sidebar.less -->
  <section class="sidebar">

    <!-- /.search form -->
    <!-- sidebar menu: : style can be found in sidebar.less -->
    <ul class="sidebar-menu">
      <li class="header">Menu Utama</li>
      <li class="active">
        <a href="<?php echo base_url().'admin/dashboard'?">
          <i class="fa fa-home"></i> <span>Dashboard</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li class="treeview">
        <a href="#">
          <i class="fa fa-newspaper-o"></i>
          <span>Berita</span>
          <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
          </span>
        </a>
        <ul class="treeview-menu">
          <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
          <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
          <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
        </ul>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/pengguna'?">
          <i class="fa fa-users"></i> <span>Pengguna</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/agenda'?">
          <i class="fa fa-calendar"></i> <span>Agenda</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
        <a href="<?php echo base_url().'admin/pengumuman'?">
          <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
          <span class="pull-right-container">
            <small class="label pull-right"></small>
          </span>
        </a>
      </li>
      <li>
    
```



```

        <a href="<?php echo base_url().'admin/files'?">
            <i class="fa fa-download"></i> <span>Download</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-camera"></i>
            <span>Gallery</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
            <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
        </ul>
    </li>

    <li class="treeview">
        <a href="#">
            <i class="fa fa-user"></i>
            <span>Data</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
            <li><a href="<?php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>
        </ul>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/inbox'?">
            <i class="fa fa-envelope"></i> <span>Inbox</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
            </span>
        </a>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/komentar'?">
            <i class="fa fa-comments"></i> <span>Komentar</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
            </span>
        </a>
    </li>

    <li>

```

```

        <a href="<?php echo base_url().'administrator/logout'?">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Berita
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li><a href="#">Berita</a></li>
            <li class="active">Add Berita</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">

        <!-- SELECT2 EXAMPLE -->
        <div class="box box-default">
            <div class="box-header with-border">
                <h3 class="box-title">Post Berita</h3>
            </div>

            <form action="<?php echo
base_url().'admin/tulisan/simpan_tulisan'?" method="post"
enctype="multipart/form-data">

                <!-- /.box-header -->
                <div class="box-body">
                    <div class="row">
                        <div class="col-md-10">
                            <input type="text" name="xjudul" class="form-control"
placeholder="Judul berita atau artikel" required/>
                        </div>
                        <!-- /.col -->
                        <div class="col-md-2">
                            <div class="form-group">
                                <button type="submit" class="btn btn-primary btn-flat
pull-right"><span class="fa fa-pencil"></span> Publish</button>
                            <!-- /.form-group -->
                        </div>
                        <!-- /.col -->
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

</div>
  </div>
<!-- /.box -->

<div class="row">
  <div class="col-md-8">

    <div class="box box-danger">
      <div class="box-header">
        <h3 class="box-title">Berita</h3>
      </div>
      <div class="box-body">

        <textarea id="ckeditor" name="xisi"
required></textarea>

      </div>
      <!-- /.box-body -->
    </div>
    <!-- /.box -->

  </div>
  <!-- /.col (left) -->
  <div class="col-md-4">
    <div class="box box-primary">
      <div class="box-header">
        <h3 class="box-title">Pengaturan Lainnya</h3>
      </div>
      <div class="box-body">

        <div class="form-group">
          <label>Kategori</label>
          <select class="form-control select2" name="xkategori"
style="width: 100%;" required>
            <option value="">-Pilih-</option>
            <?php
              $no=0;
              foreach ($kat->result_array() as $i) :
                $no++;
                $kategori_id=$i['kategori_id'];
                $kategori_nama=$i['kategori_nama'];

                ?>
                <option value="<?php echo $kategori_id;?>"><?php
echo $kategori_nama;?></option>
              <?php endforeach;?>
            </select>
          </div>

          <div class="form-group">
            <label>Gambar</label>
            <input type="file" name="filefoto" style="width:
100%;" required>
          </div>
          <!-- /.form group -->
          <div class="form-group">
            <!--<label>
              <input type="checkbox" class="minimal"
name="ximgslider" value="1">
              Tampilkan pada Image Slider

```

```

        </label>
        </div>-->

        </div>
        <!-- /.box-body -->
    </div>
    <!-- /.box -->
    </form>

    <!-- /.box -->
    </div>
    <!-- /.col (right) -->
</div>
<!-- /.row -->

</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
        <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
    </ul>
    <!-- Tab panes -->
    <div class="tab-content">
        <!-- Home tab content -->
        <div class="tab-pane" id="control-sidebar-home-tab">
            <h3 class="control-sidebar-heading">Recent Activity</h3>
            <ul class="control-sidebar-menu">
                <li>
                    <a href="javascript:void(0)">
                        <i class="menu-icon fa fa-birthday-cake bg-red"></i>

                    <div class="menu-info">
                        <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

                        <p>Will be 23 on April 24th</p>
                    </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                    <i class="menu-icon fa fa-user bg-yellow"></i>

                <div class="menu-info">
                    <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

```

```

        <p>New phone +1(800)555-1234</p>
    </div>
</a>
</li>
<li>
    <a href="javascript:void(0)">
        <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

        <div class="menu-info">
            <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

            <p>nora@example.com</p>
        </div>
    </a>
</li>
<li>
    <a href="javascript:void(0)">
        <i class="menu-icon fa fa-file-code-o bg-green"></i>

        <div class="menu-info">
            <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

            <p>Execution time 5 seconds</p>
        </div>
    </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Custom Template Design
                <span class="label label-danger pull-
right">70%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
            </div>
        </a>
    </li>
</ul>

```

```

        </a>
      </li>
      <li>
        <a href="javascript:void(0)">
          <h4 class="control-sidebar-subheading">
            Laravel Integration
            <span class="label label-warning pull-
right">50%</span>
          </h4>

          <div class="progress progress-xxs">
            <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
          </div>
        </a>
      </li>
      <li>
        <a href="javascript:void(0)">
          <h4 class="control-sidebar-subheading">
            Back End Framework
            <span class="label label-primary pull-
right">68%</span>
          </h4>

          <div class="progress progress-xxs">
            <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
          </div>
        </a>
      </li>
    </ul>
    <!-- /.control-sidebar-menu -->

  </div>
  <!-- /.tab-pane -->
  <!-- Stats tab content -->
  <div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
  <!-- /.tab-pane -->
  <!-- Settings tab content -->
  <div class="tab-pane" id="control-sidebar-settings-tab">
    <form method="post">
      <h3 class="control-sidebar-heading">General Settings</h3>

      <div class="form-group">
        <label class="control-sidebar-subheading">
          Report panel usage
          <input type="checkbox" class="pull-right" checked>
        </label>

        <p>
          Some information about this general settings option
        </p>
      </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

```

```

        <p>
            Other sets of options are available
        </p>
    </div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
    </label>

    <p>
        Allow the user to show his name in blog posts
    </p>
</div>
<!-- /.form-group -->

<h3 class="control-sidebar-heading">Chat Settings</h3>

<div class="form-group">
    <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-right"><i class="fa fa-trash-o"></i></a>
    </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
    immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url(). 'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->

```

```

<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- Select2 -->
<script src="<?php echo
base_url().'assets/plugins/select2/select2.full.min.js'?"></script>
<!-- InputMask -->
<script src="<?php echo base_url().'assets/plugins/input-
mask/jquery.inputmask.js'?"></script>
<script src="<?php echo base_url().'assets/plugins/input-
mask/jquery.inputmask.date.extensions.js'?"></script>
<script src="<?php echo base_url().'assets/plugins/input-
mask/jquery.inputmask.extensions.js'?"></script>
<!-- date-range-picker -->
<script src="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.js'?"></s
cript>
<!-- bootstrap datepicker -->
<script src="<?php echo
base_url().'assets/plugins/datepicker/bootstrap-
datepicker.js'?"></script>
<!-- bootstrap color picker -->
<script src="<?php echo
base_url().'assets/plugins/colorpicker/bootstrap-
colorpicker.min.js'?"></script>
<!-- bootstrap time picker -->
<script src="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?"></script>
<!-- SlimScroll 1.3.0 -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<!-- iCheck 1.0.1 -->
<script src="<?php echo
base_url().'assets/plugins/iCheck/ichack.min.js'?"></script>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script src="<?php echo
base_url().'assets/ckeditor/ckeditor.js'?"></script>
<!-- Page script -->

<script>
    $(function () {
        // Replace the <textarea id="editor1"> with a CKEditor
        // instance, using default configuration.

        CKEDITOR.replace('ckeditor');

    });
</script>

<script>
    $(function () {

```



```

//Initialize Select2 Elements
$(".select2").select2();

//Datemask dd/mm/yyyy
$("#datemask").inputmask("dd/mm/yyyy", {"placeholder":
"dd/mm/yyyy"});
//Datemask2 mm/dd/yyyy
$("#datemask2").inputmask("mm/dd/yyyy", {"placeholder":
"mm/dd/yyyy"});
//Money Euro
$("#[data-mask]").inputmask();

//Date range picker
$('#reservation').daterangepicker();
//Date range picker with time picker
$('#reservationtime').daterangepicker({timePicker: true,
timePickerIncrement: 30, format: 'MM/DD/YYYY h:mm A'});
//Date range as a button
$('#daterange-btn').daterangepicker(
{
    ranges: {
        'Today': [moment(), moment()],
        'Yesterday': [moment().subtract(1, 'days'),
moment().subtract(1, 'days')],
        'Last 7 Days': [moment().subtract(6, 'days'), moment()],
        'Last 30 Days': [moment().subtract(29, 'days'),
moment()],
        'This Month': [moment().startOf('month'),
moment().endOf('month')],
        'Last Month': [moment().subtract(1,
'month').startOf('month'), moment().subtract(1,
'month').endOf('month')]
    },
    startDate: moment().subtract(29, 'days'),
    endDate: moment()
},
function (start, end) {
    $('#daterange-btn span').html(start.format('MMMM D, YYYY')
+ ' - ' + end.format('MMMM D, YYYY'));
}
);

//Date picker
$('#datepicker').datepicker({
    autoclose: true
});

//iCheck for checkbox and radio inputs
$('input[type="checkbox"].minimal,
input[type="radio"].minimal').iCheck({
    checkboxClass: 'icheckbox_minimal-blue',
    radioClass: 'iradio_minimal-blue'
});
//Red color scheme for iCheck
$('input[type="checkbox"].minimal-red,
input[type="radio"].minimal-red').iCheck({
    checkboxClass: 'icheckbox_minimal-red',
    radioClass: 'iradio_minimal-red'
});
//Flat red color scheme for iCheck

```

```

        $('input[type="checkbox"].flat-red, input[type="radio"].flat-
red').iCheck({
        checkboxClass: 'icheckbox_flat-green',
        radioClass: 'iradio_flat-green'
        });

        //Colorpicker
        $(".my-colorpicker1").colorpicker();
        //color picker with addon
        $(".my-colorpicker2").colorpicker();

        //Timepicker
        $(".timepicker").timepicker({
        showInputs: false
        });
    });
</script>
</body>
</html>

```

File m_tulisan

```

<?php
class M_tulisan extends CI_Model{

        function get_all_tulisan(){
                $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan ORDER BY tulisan_id DESC");
                return $hsl;
        }

        function
simpan_tulisan($judul,$isi,$kategori_id,$kategori_nama,$imgslider,$suser_id,$user_nama,$gambar,$slug){
                $hsl=$this->db->query("insert into
tbl_tulisan(tulisan_judul,tulisan_isi,tulisan_kategori_id,tulisan_kategori_nama,tulisan_img_slider,tulisan_pengguna_id,tulisan_author,tulisan_gambar,tulisan_slug) values
('$judul','$isi','$kategori_id','$kategori_nama','$imgslider','$user_id','$user_nama','$gambar','$slug')");
                return $hsl;
        }

        function get_tulisan_by_kode($kode){
                $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan where tulisan_id='$kode'");
                return $hsl;
        }

        function
update_tulisan($tulisan_id,$judul,$isi,$kategori_id,$kategori_nama,$imgslider,$user_id,$user_nama,$gambar,$slug){
                $hsl=$this->db->query("update tbl_tulisan set
tulisan_judul='$judul',tulisan_isi='$isi',tulisan_kategori_id='$kategori_id',tulisan_kategori_nama='$kategori_nama',tulisan_img_slider='$imgslider',tulisan_pengguna_id='$user_id',tulisan_author='$user_nama',tulisan_gambar='$gambar',tulisan_slug='$slug' where
tulisan_id='$tulisan_id'");
                return $hsl;
        }

        function
update_tulisan_tanpa_img($tulisan_id,$judul,$isi,$kategori_id,$kategori_nama,$imgslider,$user_id,$user_nama,$slug){

```

```

        $hsl=$this->db->query("update tbl_tulisan set
tulisan_judul='$judul',tulisan_isi='$isi',tulisan_kategori_id='$kate
gori_id',tulisan_kategori_nama='$kategori_nama',tulisan_img_slider='$i
mgslider',tulisan_pengguna_id='$user_id',tulisan_author='$user_nama',
tulisan_slug='$slug' where tulisan_id='$tulisan_id'");
        return $hsl;
    }
    function hapus_tulisan($kode){
        $hsl=$this->db->query("delete from tbl_tulisan where
tulisan_id='$kode'");
        return $hsl;
    }

    //Front-End
    function get_berita_slider(){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan where tulisan_img_slider='1' ORDER BY tulisan_id DESC");
        return $hsl;
    }
    function get_berita_home(){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan ORDER BY tulisan_id DESC limit 4");
        return $hsl;
    }

    function berita_perpage($offset,$limit){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan ORDER BY tulisan_id DESC limit $offset,$limit");
        return $hsl;
    }

    function berita(){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan ORDER BY tulisan_id DESC");
        return $hsl;
    }
    function get_berita_by_kode($kode){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan where tulisan_id='$kode'");
        return $hsl;
    }

    function cari_berita($keyword){
        $hsl=$this->db->query("SELECT
tbl_tulisan.*,DATE_FORMAT(tulisan_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_tulisan WHERE tulisan_judul LIKE '%$keyword%' LIMIT 5");
        return $hsl;
    }

    function show_komentar_by_tulisan_id($kode){
        $hsl=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_tulisan_id='$kode' AND komentar_status='1' AND
komentar_parent='0'");
        return $hsl;
    }
}

```

4. Menu Pengguna

File v_pengguna

```
<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Data Pengguna</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>"/>
</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
        $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->
        <section class="sidebar">

            <!-- /.search form -->
            <!-- sidebar menu: : style can be found in sidebar.less -->
            <ul class="sidebar-menu">
                <li class="header">Menu Utama</li>
                <li class="active">
                    <a href="<?php echo base_url().'admin/dashboard'?>">
```

```

        <i class="fa fa-home"></i> <span>Dashboard</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-newspaper-o"></i>
        <span>Berita</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
        <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
        <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
    </ul>
</li>
<li>
    <a href="<?php echo base_url().'admin/pengguna'?">
    <i class="fa fa-users"></i> <span>Pengguna</span>
    <span class="pull-right-container">
        <small class="label pull-right"></small>
    </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/agenda'?">
    <i class="fa fa-calendar"></i> <span>Agenda</span>
    <span class="pull-right-container">
        <small class="label pull-right"></small>
    </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/pengumuman'?">
    <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
    <span class="pull-right-container">
        <small class="label pull-right"></small>
    </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/files'?">
    <i class="fa fa-download"></i> <span>Download</span>
    <span class="pull-right-container">
        <small class="label pull-right"></small>
    </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-camera"></i>
        <span>Gallery</span>
        <span class="pull-right-container">

```

```

        <i class="fa fa-angle-left pull-right"></i>
    </span>
</a>
<ul class="treeview-menu">
    <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
    <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
</ul>
</li>

<li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>

    </ul>
</li>

<li>
    <a href="<?php echo base_url().'admin/inbox'?">
        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'admin/komentar'?">
        <i class="fa fa-comments"></i> <span>Komentar</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'administrator/logout'?">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

</ul>
</section>
<!-- /.sidebar -->

```

```

</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
    <h1>
      Data Pengguna
    </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
      <li><a href="#">Pengguna</a></li>
      <li class="active">Data Pengguna</li>
    </ol>
  </section>

  <!-- Main content -->
  <section class="content">
    <div class="row">
      <div class="col-xs-12">
        <div class="box">

          <div class="box">
            <div class="box-header">
              <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-user-plus"></span> Add
Pengguna</a>
            </div>
            <!-- /.box-header -->
            <div class="box-body">
              <table id="example1" class="table table-striped"
style="font-size:13px;">
                <thead>
                  <tr>
                    <th>Photo</th>
                    <th>Nama</th>
                    <th>Email</th>
                    <th>Jenis Kelamin</th>
                    <th>Password</th>
                    <th>Kontak</th>
                    <th>Level</th>
                    <th style="text-align:center;">Aksi</th>
                  </tr>
                </thead>
                <tbody>
                  <?php foreach ($data->result_array() as $i) :
                    $pengguna_id=$i['pengguna_id'];
                    $pengguna_nama=$i['pengguna_nama'];
                    $pengguna_jenkel=$i['pengguna_jenkel'];
                    $pengguna_email=$i['pengguna_email'];
                    $pengguna_username=$i['pengguna_username'];
                    $pengguna_password=$i['pengguna_password'];
                    $pengguna_nohp=$i['pengguna_nohp'];
                    $pengguna_level=$i['pengguna_level'];
                    $pengguna_photo=$i['pengguna_photo'];
                    ?>
                  <tr>
                    <td></td>
                    <td><?php echo $pengguna_nama;?></td>

```

```

        <td><?php echo $pengguna_email;?></td>
        <?php if($pengguna_jenkel=='L'):?>
            <td>Laki-Laki</td>
        <?php else:?>
            <td>Perempuan</td>
        <?php endif;?>
        <td><?php echo $pengguna_password;?></td>
        <td><?php echo $pengguna_nohp;?></td>
        <?php if($pengguna_level=='1'):?>
            <td>Administrator</td>
        <?php else:?>
            <td>Author</td>
        <?php endif;?>
        <td style="text-align:right;">
            <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $pengguna_id;?>"><span class="fa fa-
pencil"></span></a>
            <a class="btn" href="<?php echo
base_url().'admin/pengguna/reset_password/'.$$pengguna_id;?>"><span
class="fa fa-refresh"></span></a>
            <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $pengguna_id;?>"><span class="fa fa-
trash"></span></a>
        </td>
    </tr>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
        <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
    </ul>
    <!-- Tab panes -->
    <div class="tab-content">
        <!-- Home tab content -->
        <div class="tab-pane" id="control-sidebar-home-tab">

```



```

<h3 class="control-sidebar-heading">Recent Activity</h3>
<ul class="control-sidebar-menu">
  <li>
    <a href="javascript:void(0)">
      <i class="menu-icon fa fa-birthday-cake bg-red"></i>

      <div class="menu-info">
        <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

        <p>Will be 23 on April 24th</p>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <i class="menu-icon fa fa-user bg-yellow"></i>

      <div class="menu-info">
        <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

        <p>New phone +1(800)555-1234</p>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

      <div class="menu-info">
        <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

        <p>nora@example.com</p>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <i class="menu-icon fa fa-file-code-o bg-green"></i>

      <div class="menu-info">
        <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

        <p>Execution time 5 seconds</p>
      </div>
    </a>
  </li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
  <li>
    <a href="javascript:void(0)">
      <h4 class="control-sidebar-subheading">
Custom Template Design

```

```

                <span class="label label-danger pull-
right">70%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Back End Framework
                <span class="label label-primary pull-
right">68%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
                </div>
                </a>
            </li>
        </ul>
        <!-- /.control-sidebar-menu -->

    </div>
    <!-- /.tab-pane -->
    <!-- Stats tab content -->
    <div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
    <!-- /.tab-pane -->

```

```

<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
  <form method="post">
    <h3 class="control-sidebar-heading">General Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Report panel usage
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Some information about this general settings option
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Other sets of options are available
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Allow the user to show his name in blog posts
      </p>
    </div>
    <!-- /.form-group -->

    <h3 class="control-sidebar-heading">Chat Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">

```

```

                Delete chat history
                <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
            </label>
        </div>
    <!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
Pengguna</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url(). 'admin/pengguna/simpan_pengguna?'" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama</label>
                            <div class="col-sm-7">
                                <input type="text"
name="xnama" class="form-control" id="inputUserName"
placeholder="Nama Lengkap" required>
                            </div>
                        </div>
                        <div class="form-group">
                            <label for="inputEmail3"
class="col-sm-4 control-label">Email</label>
                            <div class="col-sm-7">
                                <input type="email"
name="xemail" class="form-control" id="inputEmail3"
placeholder="Email" required>
                            </div>
                        </div>
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Jenis Kelamin</label>
                            <div class="col-sm-7">
                                <div class="radio radio-
info radio-inline">
                                    <input type="radio"
id="inlineRadiol" value="L" name="xjenkel" checked>

```

```

for="inlineRadio1"> Laki-Laki </label>
info radio-inline">
id="inlineRadio1" value="P" name="xjenkel">
for="inlineRadio2"> Perempuan </label>
class="col-sm-4 control-label">Username</label>
name="username" class="form-control" id="inputUserName"
placeholder="Username" required>
class="col-sm-4 control-label">Password</label>
name="xpassword" class="form-control" id="inputPassword3"
placeholder="Password" required>
class="col-sm-4 control-label">Ulangi Password</label>
name="xpassword2" class="form-control" id="inputPassword4"
placeholder="Ulangi Password" required>
class="col-sm-4 control-label">Kontak Person</label>
name="xkontak" class="form-control" id="inputUserName"
placeholder="Kontak Person" required>
class="col-sm-4 control-label">Level</label>
control" name="xlevel" required>
value="1">Administrator</option>
value="2">Author</option>

```

```

                <div class="form-group">
                    <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
                    <div class="col-sm-7">
                        <input type="file"
name="filefoto" required/>
                    </div>
                </div>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
            </div>
        </form>
    </div>
</div>
</div>

<?php foreach ($data->result_array() as $i) :
    $pengguna_id=$i['pengguna_id'];
    $pengguna_nama=$i['pengguna_nama'];
    $pengguna_jenkel=$i['pengguna_jenkel'];
    $pengguna_email=$i['pengguna_email'];
    $pengguna_username=$i['pengguna_username'];
    $pengguna_password=$i['pengguna_password'];
    $pengguna_nohp=$i['pengguna_nohp'];
    $pengguna_level=$i['pengguna_level'];
    $pengguna_photo=$i['pengguna_photo'];
?>
<!--Modal Edit Pengguna-->
    <div class="modal fade" id="ModalEdit<?php echo
$pengguna_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Edit Pengguna</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/pengguna/update_pengguna'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama</label>
                            <div class="col-sm-7">

                                <input type="hidden" name="kode" value="<?php echo
$pengguna_id;?>" />

```

```

        <input type="text"
name="xnama" class="form-control" id="inputUserName" value="<?php
echo $pengguna_nama;?>" placeholder="Nama Lengkap" required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputEmail3"
class="col-sm-4 control-label">Email</label>
        <div class="col-sm-7">
            <input type="email"
name="xemail" class="form-control" value="<?php echo
$pengguna_email;?>" id="inputEmail3" placeholder="Email" required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Jenis Kelamin</label>
        <div class="col-sm-7">
            <?php
if($pengguna_jenkel=='L'):?>
                <div class="radio radio-
info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="L" name="xjenkel" checked>
                    <label
for="inlineRadio1"> Laki-Laki </label>
                </div>
                <div class="radio radio-
info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="P" name="xjenkel">
                    <label
for="inlineRadio2"> Perempuan </label>
                </div>
            <?php
else:?>
                <div class="radio radio-info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="L" name="xjenkel">
                    <label
for="inlineRadio1"> Laki-Laki </label>
                </div>
                <div class="radio radio-
info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="P" name="xjenkel" checked>
                    <label
for="inlineRadio2"> Perempuan </label>
                </div>
            <?php
endif;?>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Username</label>
        <div class="col-sm-7">
            <input type="text"
name="xusername" class="form-control" value="<?php echo

```

```

$pengguna_username;?>" id="inputUserName" placeholder="Username"
required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputPassword3"
class="col-sm-4 control-label">Password</label>
        <div class="col-sm-7">
            <input type="password"
name="xpassword" class="form-control" id="inputPassword3"
placeholder="Password">
        </div>
    </div>
    <div class="form-group">
        <label for="inputPassword4"
class="col-sm-4 control-label">Ulangi Password</label>
        <div class="col-sm-7">
            <input type="password"
name="xpassword2" class="form-control" id="inputPassword4"
placeholder="Ulangi Password">
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Kontak Person</label>
        <div class="col-sm-7">
            <input type="text"
name="xkontak" class="form-control" value="<?php echo
$pengguna_nohp;?>" id="inputUserName" placeholder="Kontak Person"
required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Level</label>
        <div class="col-sm-7">
            <select class="form-
control" name="xlevel" required>
                <?php if($pengguna_level=='1') :?>
                    <option value="1"
selected>Administrator</option>
                    <option
value="2">Author</option>
                <?php else :?>
                    <option value="1">Administrator</option>
                    <option value="2"
selected>Author</option>
                <?php endif;?>
            </select>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
        <div class="col-sm-7">
            <input type="file"
name="filefoto"/>
        </div>
    </div>

```



```

        </div>
    </div>

    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Update</button>
    </div>
</form>
</div>
</div>
</div>
<?php endforeach;?>

<?php foreach ($data->result_array() as $i) :
    $pengguna_id=$i['pengguna_id'];
    $pengguna_nama=$i['pengguna_nama'];
    $pengguna_jenkel=$i['pengguna_jenkel'];
    $pengguna_email=$i['pengguna_email'];
    $pengguna_username=$i['pengguna_username'];
    $pengguna_password=$i['pengguna_password'];
    $pengguna_nohp=$i['pengguna_nohp'];
    $pengguna_level=$i['pengguna_level'];
    $pengguna_photo=$i['pengguna_photo'];
?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo
$pengguna_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Pengguna</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/pengguna/hapus_pengguna'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden"
name="kode" value="<?php echo $pengguna_id;?>" />
                        <p>Apakah Anda yakin mau menghapus
Pengguna <b><?php echo $pengguna_nama;?></b> ?</p>
                    </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                </div>
            </form>
        </div>
    </div>
</div>
</div>
</div>

```

```

        <?php endforeach;?>

        <!--Modal Reset Password-->
        <div class="modal fade" id="ModalResetPassword" tabindex="-1"
        role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-
                        dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
                        class="fa fa-close"></span></span></button>
                        <h4 class="modal-title"
                        id="myModalLabel">Reset Password</h4>
                    </div>

                    <div class="modal-body">

                        <table>
                            <tr>
                                <th
                                style="width:120px;">Username</th>
                                <th>:</th>
                                <th><?php echo $this->session-
                                >flashdata('uname');?></th>
                            </tr>
                            <tr>
                                <th style="width:120px;">Password
                                Baru</th>
                                <th>:</th>
                                <th><?php echo $this->session-
                                >flashdata('upass');?></th>
                            </tr>
                        </table>

                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default"
                        data-dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>

        <!-- jQuery 2.2.3 -->
        <script src="<?php echo base_url(). 'assets/plugins/jquery/jquery-
        2.2.3.min.js'?>"></script>
        <!-- Bootstrap 3.3.6 -->
        <script src="<?php echo
        base_url(). 'assets/bootstrap/js/bootstrap.min.js'?>"></script>
        <!-- DataTables -->
        <script src="<?php echo
        base_url(). 'assets/plugins/datatables/jquery.dataTables.min.js'?>"></
        script>
        <script src="<?php echo
        base_url(). 'assets/plugins/datatables/dataTables.bootstrap.min.js'?>"
        ></script>
        <!-- SlimScroll -->

```

```

<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });
    });
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'warning') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Warning',
            text: "Gambar yang Anda masukan terlalu besar.",
            showHideTransition: 'slide',
            icon: 'warning',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FFC017'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'success') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Pengguna Berhasil disimpan ke database.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,

```

```

        position: 'bottom-right',
        bgColor: '#7EC857'
    });
</script>
<?php elseif($this->session->flashdata('msg')== 'info') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Info',
            text: "Pengguna berhasil di update",
            showHideTransition: 'slide',
            icon: 'info',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#00C9E6'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Pengguna Berhasil dihapus.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'show-modal') :?>
    <script type="text/javascript">
        $('#ModalResetPassword').modal('show');
    </script>
<?php else :?>

<?php endif;?>
</body>
</html>

```

File m_pengguna

```

<?php
class M_pengguna extends CI_Model{

    function get_all_pengguna(){
        $hsl=$this->db->query("SELECT
tbl_pengguna.*,IF(pengguna_jenkel='L','Laki-Laki','Perempuan') AS
jenkel FROM tbl_pengguna");
        return $hsl;
    }

    function
simpan_pengguna($nama,$jenkel,$username,$password,$email,$nohp,$level
,$gambar){
        $hsl=$this->db->query("INSERT INTO tbl_pengguna
(pengguna_nama,pengguna_jenkel,pengguna_username,pengguna_password,pe
ngguna_email,pengguna_nohp,pengguna_level,pengguna_photo) VALUES
('$nama','$jenkel','$username',md5('$password'),'email','$nohp','$le
vel','$gambar')");
        return $hsl;
    }
}

```

```

function
simpan_pengguna_tanpa_gambar($nama,$jenkel,$username,$password,$email
,$nohp,$level){
    $hsl=$this->db->query("INSERT INTO tbl_pengguna
(pengguna_nama,pengguna_jenkel,pengguna_username,pengguna_password,pe
ngguna_email,pengguna_nohp,pengguna_level) VALUES
('$nama','$jenkel','$username',md5('$password'),'$email','$nohp','$le
vel')");
    return $hsl;
}

//UPDATE PENGGUNA //
function
update_pengguna_tanpa_pass($kode,$nama,$jenkel,$username,$password,$e
mail,$nohp,$level,$gambar){
    $hsl=$this->db->query("UPDATE tbl_pengguna set
pengguna_nama='$nama',pengguna_jenkel='$jenkel',pengguna_username='$u
sername',pengguna_email='$email',pengguna_nohp='$nohp',pengguna_level
='$level',pengguna_photo='$gambar' where pengguna_id='$kode'");
    return $hsl;
}

function
update_pengguna($kode,$nama,$jenkel,$username,$password,$email,$nohp,
$level,$gambar){
    $hsl=$this->db->query("UPDATE tbl_pengguna set
pengguna_nama='$nama',pengguna_jenkel='$jenkel',pengguna_username='$u
sername',pengguna_password='$password',pengguna_email='$email',penggu
na_nohp='$nohp',pengguna_level='$level',pengguna_photo='$gambar'
where pengguna_id='$kode'");
    return $hsl;
}

function
update_pengguna_tanpa_pass_dan_gambar($kode,$nama,$jenkel,$username,$
password,$email,$nohp,$level){
    $hsl=$this->db->query("UPDATE tbl_pengguna set
pengguna_nama='$nama',pengguna_jenkel='$jenkel',pengguna_username='$u
sername',pengguna_email='$email',pengguna_nohp='$nohp',pengguna_level
='$level' where pengguna_id='$kode'");
    return $hsl;
}

function
update_pengguna_tanpa_gambar($kode,$nama,$jenkel,$username,$password,
$email,$nohp,$level){
    $hsl=$this->db->query("UPDATE tbl_pengguna set
pengguna_nama='$nama',pengguna_jenkel='$jenkel',pengguna_username='$u
sername',pengguna_password='$password',pengguna_email='$email',penggu
na_nohp='$nohp',pengguna_level='$level' where pengguna_id='$kode'");

    return $hsl;
}

//END UPDATE PENGGUNA//

function hapus_pengguna($kode){
    $hsl=$this->db->query("DELETE FROM tbl_pengguna where
pengguna_id='$kode'");
    return $hsl;
}

function getusername($id){
    $hsl=$this->db->query("SELECT * FROM tbl_pengguna where
pengguna_id='$id'");

```

```

        return $hsl;
    }
    function resetpass($id,$pass){
        $hsl=$this->db->query("UPDATE tbl_pengguna set
pengguna_password=md5('$pass') where pengguna_id='$id'");
        return $hsl;
    }

    function get_pengguna_login($kode){
        $hsl=$this->db->query("SELECT * FROM tbl_pengguna where
pengguna_id='$kode'");
        return $hsl;
    }
}

```

5. Menu Agenda

File v_agenda

```

<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Agenda</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?>">
    <!-- bootstrap datepicker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins

```

```

        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?">/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
    $this->load->view('admin/v_header');
?>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
    <!-- sidebar: style can be found in sidebar.less -->
    <section class="sidebar">

        <!-- /.search form -->
        <!-- sidebar menu: : style can be found in sidebar.less -->
        <ul class="sidebar-menu">
            <li class="header">Menu Utama</li>
            <li class="active">
                <a href="<?php echo base_url().'admin/dashboard'?">
                    <i class="fa fa-home"></i> <span>Dashboard</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-newspaper-o"></i>
                    <span>Berita</span>
                    <span class="pull-right-container">
                        <i class="fa fa-angle-left pull-right"></i>
                    </span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
                    <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
                    <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
                </ul>
            </li>
            <li>
                <a href="<?php echo base_url().'admin/pengguna'?">
                    <i class="fa fa-users"></i> <span>Pengguna</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
            <li>
                <a href="<?php echo base_url().'admin/agenda'?">
                    <i class="fa fa-calendar"></i> <span>Agenda</span>
                    <span class="pull-right-container">

```

```

        <small class="label pull-right"></small>
    </span>
</a>
</li>
<li>
    <a href="<?php echo base_url().'admin/pengumuman'?>">
        <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/files'?>">
        <i class="fa fa-download"></i> <span>Download</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-camera"></i>
        <span>Gallery</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/album'?>"><i
class="fa fa-clone"></i> Album</a></li>
        <li><a href="<?php echo base_url().'admin/galeri'?>"><i
class="fa fa-picture-o"></i> Photos</a></li>
    </ul>
</li>

    <li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/pengurus'?>"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?>"><i
class="fa fa-users"></i> Data Ulama</a></li>
    </ul>
</li>

    <li>
    <a href="<?php echo base_url().'admin/inbox'?>">
        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>

```



```

        </li>

        <li>
            <a href="<?php echo base_url().'admin/komentar'?">
                <i class="fa fa-comments"></i> <span>Komentar</span>
                <span class="pull-right-container">
                    <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
                </span>
            </a>
        </li>

        <li>
            <a href="<?php echo base_url().'administrator/logout'?">
                <i class="fa fa-sign-out"></i> <span>Sign Out</span>
                <span class="pull-right-container">
                    <small class="label pull-right"></small>
                </span>
            </a>
        </li>

    </ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Data Agenda
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Agenda</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-plus"></span> Add
Agenda</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
style="font-size:12px;">
                                <thead>
                                    <tr>

                                        <th
style="width:70px;">#</th>

```

```

        <th>Agenda</th>
        <th>Tanggal</th>
        <th>Tempat</th>
        <th>Waktu</th>
        <th>Author</th>
        <th style="text-align:right;">Aksi</th>
    </tr>
</thead>
<tbody>
    <?php
        $no=0;
        foreach ($data->result_array() as $i) :
            $no++;
            $agenda_id=$i['agenda_id'];
            $agenda_nama=$i['agenda_nama'];
            $agenda_deskripsi=$i['agenda_deskripsi'];
            $agenda_mulai=$i['agenda_mulai'];
            $agenda_selesai=$i['agenda_selesai'];
            $agenda_tempat=$i['agenda_tempat'];
            $agenda_waktu=$i['agenda_waktu'];
            $agenda_keterangan=$i['agenda_keterangan'];
            $agenda_author=$i['agenda_author'];
            $tanggal=$i['tanggal'];

            ?>
        <tr>
            <td><?php echo $tanggal;?></td>
            <td><?php echo $agenda_nama;?></td>
            <td><?php echo $agenda_mulai.' s/d
'. $agenda_selesai;?></td>
            <td><?php echo $agenda_tempat;?></td>
            <td><?php echo $agenda_waktu;?></td>
            <td><?php echo $agenda_author;?></td>
            <td style="text-align:right;">
                <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $agenda_id;?>"><span class="fa fa-
pencil"></span></a>
                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $agenda_id;?>"><span class="fa fa-
trash"></span></a>
            </td>
        </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>

```

```
<strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>
```

```
<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
  <!-- Create the tabs -->
  <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
  </ul>
  <!-- Tab panes -->
  <div class="tab-content">
    <!-- Home tab content -->
    <div class="tab-pane" id="control-sidebar-home-tab">
      <h3 class="control-sidebar-heading">Recent Activity</h3>
      <ul class="control-sidebar-menu">
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-birthday-cake bg-red"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

            <p>Will be 23 on April 24th</p>
          </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-user bg-yellow"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

            <p>New phone +1(800)555-1234</p>
          </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

            <p>nora@example.com</p>
          </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-file-code-o bg-green"></i>

          <div class="menu-info">
```

```

        <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

        <p>Execution time 5 seconds</p>
    </div>
    </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Custom Template Design
                <span class="label label-danger pull-
right">70%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Back End Framework
                <span class="label label-primary pull-
right">68%</span>
            </h4>

```

```

        <div class="progress progress-xxs">
            <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
        </div>
    </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
    <form method="post">
        <h3 class="control-sidebar-heading">General Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Report panel usage
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Some information about this general settings option
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Allow mail redirect
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Other sets of options are available
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Expose author name in posts
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Allow the user to show his name in blog posts
            </p>
        </div>
        <!-- /.form-group -->

        <h3 class="control-sidebar-heading">Chat Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">

```

```

        Show me as online
        <input type="checkbox" class="pull-right" checked>
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
    </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
Agenda</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'.admin/agenda/simpan_agenda'?">" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama Agenda</label>
                            <div class="col-sm-7">
                                <input type="text"
name="xnama_agenda" class="form-control" id="inputUserName"
placeholder="Nama Agenda" required>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
        <div class="col-sm-7">
            <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..."
required></textarea>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName" class="col-
sm-4 control-label">Mulai</label>
        <div class="col-sm-7">
            <div class="input-group date">
                <div class="input-group-addon">
                    <i class="fa fa-calendar"></i>
                </div>
                <input type="text" name="xmulai"
class="form-control pull-right" id="datepicker" required>
            </div>
        </div>
        <!-- /.input group -->
    </div>
    <!-- /.form group -->

    <!-- Date range -->
    <div class="form-group">
        <label for="inputUserName" class="col-
sm-4 control-label">Selesai</label>
        <div class="col-sm-7">
            <div class="input-group date">
                <div class="input-group-addon">
                    <i class="fa fa-calendar"></i>
                </div>
                <input type="text" name="xselesai"
class="form-control pull-right" id="datepicker2" required>
            </div>
        </div>
        <!-- /.input group -->
    </div>
    <!-- /.form group -->
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Tempat</label>
        <div class="col-sm-7">
            <input type="text" name="xtempat"
class="form-control" id="inputUserName" placeholder="Tempat"
required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Waktu</label>
        <div class="col-sm-7">
            <input type="text" name="xwaktu"
class="form-control" id="inputUserName" placeholder="Contoh: 10.30-
11.00 WIB" required>
        </div>
    </div>

    <div class="form-group">

```

```

        <label for="inputUserName"
class="col-sm-4 control-label">Keterangan</label>
        <div class="col-sm-7">
            <textarea class="form-control"
name="xketerangan" rows="2" placeholder="Keterangan ..."></textarea>
            </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
        </div>
    </form>
</div>
</div>
</div>
</div>

<?php foreach ($data->result_array() as $i) :
    $agenda_id=$i['agenda_id'];
    $agenda_nama=$i['agenda_nama'];
    $agenda_deskripsi=$i['agenda_deskripsi'];
    $agenda_mulai=$i['agenda_mulai'];
    $agenda_selesai=$i['agenda_selesai'];
    $agenda_tempat=$i['agenda_tempat'];
    $agenda_waktu=$i['agenda_waktu'];
    $agenda_keterangan=$i['agenda_keterangan'];
    $agenda_author=$i['agenda_author'];
    $tanggal=$i['tanggal'];
?>
<!--Modal Edit Pengguna-->
    <div class="modal fade" id="ModalEdit<?php echo
$agenda_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Edit Agenda</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url(). 'admin/agenda/update_agenda' ?>" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama Agenda</label>
                            <div class="col-sm-7">
                                <input type="hidden" name="kode"
value="<?php echo $agenda_id;?>">
                                <input type="text"
name="xnama_agenda" class="form-control" value="<?php echo
$agenda_nama;?>" id="inputUserName" placeholder="Nama Agenda"
required>

```



```

        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
        <div class="col-sm-7">
            <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..." required><?php
echo $agenda_deskripsi;?></textarea>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName" class="col-
sm-4 control-label">Mulai</label>
        <div class="col-sm-7">
            <div class="input-group date">
                <div class="input-group-addon">
                    <i class="fa fa-calendar"></i>
                </div>
                <input type="text" name="xmulai"
value="<?php echo $agenda_mulai;?>" class="form-control pull-right
datepicker3" required>
            </div>
        </div>
    <!-- /.input group -->
</div>
<!-- /.form group -->

<!-- Date range -->
<div class="form-group">
    <label for="inputUserName" class="col-
sm-4 control-label">Selesai</label>
    <div class="col-sm-7">
        <div class="input-group date">
            <div class="input-group-addon">
                <i class="fa fa-calendar"></i>
            </div>
            <input type="text" name="xselesai"
value="<?php echo $agenda_selesai;?>" class="form-control pull-right
datepicker4" required>
        </div>
    </div>
<!-- /.input group -->
</div>
<!-- /.form group -->
<div class="form-group">
    <label for="inputUserName"
class="col-sm-4 control-label">Tempat</label>
    <div class="col-sm-7">
        <input type="text" name="xtempat"
class="form-control" value="<?php echo $agenda_tempat;?>"
id="inputUserName" placeholder="Tempat" required>
    </div>
</div>
<div class="form-group">
    <label for="inputUserName"
class="col-sm-4 control-label">Waktu</label>
    <div class="col-sm-7">

```

```

                <input type="text" name="xwaktu"
class="form-control" value="<?php echo $agenda_waktu;?>"
id="inputUserName" placeholder="Contoh: 10.30-11.00 WIB" required>
                </div>
            </div>

            <div class="form-group">
                <label for="inputUserName"
class="col-sm-4 control-label">Keterangan</label>
                <div class="col-sm-7">
                    <textarea class="form-control"
name="xketerangan" rows="2" placeholder="Keterangan ..."><?php echo
$agenda_keterangan;?></textarea>
                </div>
            </div>

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Update</button>
        </div>
    </form>
</div>
</div>
</div>
<?php endforeach;?>

<?php foreach ($data->result_array() as $i) :
    $agenda_id=$i['agenda_id'];
    $agenda_nama=$i['agenda_nama'];
    $agenda_deskripsi=$i['agenda_deskripsi'];
    $agenda_mulai=$i['agenda_mulai'];
    $agenda_selesai=$i['agenda_selesai'];
    $agenda_tempat=$i['agenda_tempat'];
    $agenda_waktu=$i['agenda_waktu'];
    $agenda_keterangan=$i['agenda_keterangan'];
    $agenda_author=$i['agenda_author'];
    $tanggal=$i['tanggal'];
?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo
$agenda_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Agenda</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/agenda/hapus_agenda'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden"
name="kode" value="<?php echo $agenda_id;?>" />

```

```

                <p>Apakah Anda yakin mau menghapus
Pengguna <b><?php echo $agenda_nama;?></b> ?</p>

                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                </div>
            </form>
        </div>
    </div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url(). 'assets/plugins/jquery/jquery-
2.2.3.min.js'?>"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url(). 'assets/bootstrap/js/bootstrap.min.js'?>"></script>
<!-- DataTables -->
<script src="<?php echo
base_url(). 'assets/plugins/datatables/jquery.dataTables.min.js'?>"></
script>
<script src="<?php echo
base_url(). 'assets/plugins/datatables/dataTables.bootstrap.min.js'?>"
></script>
<!-- SlimScroll -->
<script src="<?php echo
base_url(). 'assets/plugins/slimScroll/jquery.slimscroll.min.js'?>"></
script>
<script src="<?php echo
base_url(). 'assets/plugins/datepicker/bootstrap-
datepicker.js'?>"></script>
<script src="<?php echo
base_url(). 'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?>"></script>
<script src="<?php echo
base_url(). 'assets/plugins/daterangepicker/daterangepicker.js'?>"></s
cript>
<!-- FastClick -->
<script src="<?php echo
base_url(). 'assets/plugins/fastclick/fastclick.js'?>"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url(). 'assets/dist/js/app.min.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url(). 'assets/dist/js/demo.js'?>"></script>
<script type="text/javascript" src="<?php echo
base_url(). 'assets/plugins/toast/jquery.toast.min.js'?>"></script>
<!-- page script -->
<script>
    $(function () {
        $('#example1').DataTable();
        $('#example2').DataTable({

```

```

        "paging": true,
        "lengthChange": false,
        "searching": false,
        "ordering": true,
        "info": true,
        "autoWidth": false
    });

    $('#datepicker').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker2').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker3').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker4').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $(".timepicker").timepicker({
        showInputs: true
    });

    });
</script>
<?php if($this->session->flashdata('msg')=='error'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

<?php elseif($this->session->flashdata('msg')=='success'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Agenda Berhasil disimpan ke database.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php elseif($this->session->flashdata('msg')=='info'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Info',
            text: "Agenda berhasil di update",

```

```

        showHideTransition: 'slide',
        icon: 'info',
        hideAfter: false,
        position: 'bottom-right',
        bgColor: '#00C9E6'
    });
</script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Agenda Berhasil dihapus.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php else:??>

<?php endif;??>
</body>
</html>

```

File m_agenda

```

<?php
class M_agenda extends CI_Model{

    function get_all_agenda(){
        $hsl=$this->db->query("SELECT
tbl_agenda.*,DATE_FORMAT(agenda_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_agenda ORDER BY agenda_id DESC");
        return $hsl;
    }
    function
simpan_agenda($nama_agenda,$deskripsi,$mulai,$selesai,$tempat,$waktu,
$keterangan){
        $author=$this->session->userdata('nama');
        $hsl=$this->db->query("INSERT INTO
tbl_agenda(agenda_nama,agenda_deskripsi,agenda_mulai,agenda_selesai,a
genda_tempat,agenda_waktu,agenda_keterangan,agenda_author) VALUES
('$nama_agenda','$deskripsi','$mulai','$selesai','$tempat','$waktu',
'$keterangan','$author')");
        return $hsl;
    }
    function
update_agenda($kode,$nama_agenda,$deskripsi,$mulai,$selesai,$tempat,$
waktu,$keterangan){
        $author=$this->session->userdata('nama');
        $hsl=$this->db->query("UPDATE tbl_agenda SET
agenda_nama='$nama_agenda',agenda_deskripsi='$deskripsi',agenda_mulai
='$mulai',agenda_selesai='$selesai',agenda_tempat='$tempat',agenda_wa
ktu='$waktu',agenda_keterangan='$keterangan',agenda_author='$author'
where agenda_id='$kode'");
        return $hsl;
    }
    function hapus_agenda($kode){
        $hsl=$this->db->query("DELETE FROM tbl_agenda WHERE
agenda_id='$kode'");

```

```

        return $hsl;
    }

    //front-end
    function get_agenda_home() {
        $hsl=$this->db->query("SELECT
tbl_agenda.*,DATE_FORMAT(agenda_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_agenda ORDER BY agenda_id DESC limit 3");
        return $hsl;
    }
    function agenda() {
        $hsl=$this->db->query("SELECT
tbl_agenda.*,DATE_FORMAT(agenda_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_agenda ORDER BY agenda_id DESC");
        return $hsl;
    }
    function agenda_perpage($offset,$limit) {
        $hsl=$this->db->query("SELECT
tbl_agenda.*,DATE_FORMAT(agenda_tanggal,'%d/%m/%Y') AS tanggal FROM
tbl_agenda ORDER BY agenda_id DESC limit $offset,$limit");
        return $hsl;
    }
}
}

```

6. Menu Pengumuman

File v_pengumuman

```

<!--Counter Inbox-->
<?php
$query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
$query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
$jum_comment=$query2->num_rows();
$jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Data Pengumuman</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">

```

```

<link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?">
<link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?">
<!-- bootstrap datepicker -->
<link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the load.
-->
<link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?">
<link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?">/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

<?php
$this->load->view('admin/v_header');
?>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
<!-- sidebar: style can be found in sidebar.less -->
<section class="sidebar">

<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
<li class="header">Menu Utama</li>
<li class="active">
<a href="<?php echo base_url().'admin/dashboard'?">
<i class="fa fa-home"></i> <span>Dashboard</span>
<span class="pull-right-container">
<small class="label pull-right"></small>
</span>
</a>
</li>
<li class="treeview">
<a href="#">
<i class="fa fa-newspaper-o"></i>
<span>Berita</span>
<span class="pull-right-container">
<i class="fa fa-angle-left pull-right"></i>
</span>
</a>
<ul class="treeview-menu">
<li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
<li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
<li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
</ul>
</li>
<li>
<a href="<?php echo base_url().'admin/pengguna'?">
<i class="fa fa-users"></i> <span>Pengguna</span>

```

```

        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/agenda'?>">
        <i class="fa fa-calendar"></i> <span>Agenda</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/pengumuman'?>">
        <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li>
    <a href="<?php echo base_url().'admin/files'?>">
        <i class="fa fa-download"></i> <span>Download</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-camera"></i>
        <span>Gallery</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/album'?>"><i
class="fa fa-clone"></i> Album</a></li>
        <li><a href="<?php echo base_url().'admin/galeri'?>"><i
class="fa fa-picture-o"></i> Photos</a></li>
    </ul>
</li>

<li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/pengurus'?>"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?>"><i
class="fa fa-users"></i> Data Ulama</a></li>
    </ul>
</li>

```



```

        <li>
            <a href="<?php echo base_url().'admin/inbox'?>">
                <i class="fa fa-envelope"></i> <span>Inbox</span>
                <span class="pull-right-container">
                    <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
                </span>
            </a>
        </li>

        <li>
            <a href="<?php echo base_url().'admin/komentar'?>">
                <i class="fa fa-comments"></i> <span>Komentar</span>
                <span class="pull-right-container">
                    <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
                </span>
            </a>
        </li>

        <li>
            <a href="<?php echo base_url().'administrator/logout'?>">
                <i class="fa fa-sign-out"></i> <span>Sign Out</span>
                <span class="pull-right-container">
                    <small class="label pull-right"></small>
                </span>
            </a>
        </li>

    </ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Pengumuman
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Data Pengumuman</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-plus"></span> Add
Pengumuman</a>

```

```

        </div>
        <!-- /.box-header -->
        <div class="box-body">
            <table id="example1" class="table table-striped"
style="font-size:12px;">
                <thead>
                    <tr>
                        <th
style="width:70px;">#</th>
                        <th>Judul</th>
                        <th>Deskripsi</th>
                        <th>Tanggal Post</th>
                        <th>Author</th>
                        <th style="text-align:right;">Aksi</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                        $no=0;
                        foreach ($data->result_array() as $i) :
                            $no++;
                            $id=$i['pengumuman_id'];
                            $judul=$i['pengumuman_judul'];
                            $deskripsi=$i['pengumuman_deskripsi'];
                            $author=$i['pengumuman_author'];
                            $tanggal=$i['tanggal'];

                            ?>
                    <tr>
                        <td><?php echo $no;?></td>
                        <td><?php echo $judul;?></td>
                        <td><?php echo $deskripsi;?></td>
                        <td><?php echo $tanggal;?></td>
                        <td><?php echo $author;?></td>
                        <td style="text-align:right;">
                            <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $id;?>"><span class="fa fa-
pencil"></span></a>
                            <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $id;?>"><span class="fa fa-
trash"></span></a>
                        </td>
                    </tr>
                <?php endforeach;?>
                </tbody>
            </table>
        </div>
        <!-- /.box-body -->
    </div>
    <!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0

```

```
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>
```

```
<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
  <!-- Create the tabs -->
  <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
  </ul>
  <!-- Tab panes -->
  <div class="tab-content">
    <!-- Home tab content -->
    <div class="tab-pane" id="control-sidebar-home-tab">
      <h3 class="control-sidebar-heading">Recent Activity</h3>
      <ul class="control-sidebar-menu">
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-birthday-cake bg-red"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

            <p>Will be 23 on April 24th</p>
          </div>
        </a>
      </li>
      <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-user bg-yellow"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

            <p>New phone +1(800)555-1234</p>
          </div>
        </a>
      </li>
      <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

            <p>nora@example.com</p>
          </div>
        </a>
      </li>
      <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-file-code-o bg-green"></i>
```

```

        <div class="menu-info">
            <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

            <p>Execution time 5 seconds</p>
        </div>
    </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Custom Template Design
                <span class="label label-danger pull-
right">70%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Back End Framework
                <span class="label label-primary pull-
right">68%</span>

```

```

        </h4>

        <div class="progress progress-xxs">
          <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
        </div>
      </a>
    </li>
  </ul>
  <!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
  <form method="post">
    <h3 class="control-sidebar-heading">General Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Report panel usage
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Some information about this general settings option
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Other sets of options are available
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Allow the user to show his name in blog posts
      </p>
    </div>
    <!-- /.form-group -->

    <h3 class="control-sidebar-heading">Chat Settings</h3>

    <div class="form-group">

```

```

        <label class="control-sidebar-subheading">
            Show me as online
            <input type="checkbox" class="pull-right" checked>
        </label>
    </div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-right"><i class="fa fa-trash-o"></i></a>
    </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
    immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
    role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
                    dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
                    class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
                    Pengumuman</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
                base_url().'admin/pengumuman/simpan_pengumuman'?" method="post"
                enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
                            class="col-sm-4 control-label">Judul</label>
                            <div class="col-sm-7">
                                <input type="text" name="xjudul"
                                class="form-control" id="inputUserName" placeholder="Judul" required>
                            </div>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>

```

```

        <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
        <div class="col-sm-7">
            <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..."
required></textarea>
        </div>
    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
    </div>
</form>
</div>
</div>
</div>
</div>

<?php foreach ($data->result_array() as $i) :
    $id=$i['pengumuman_id'];
    $judul=$i['pengumuman_judul'];
    $deskripsi=$i['pengumuman_deskripsi'];
    $author=$i['pengumuman_author'];
    $tanggal=$i['tanggal'];
?>
<!--Modal Edit Pengguna-->
    <div class="modal fade" id="ModalEdit<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Edit Pengumuman</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/pengumuman/update_pengumuman'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Judul</label>
                            <div class="col-sm-7">
                                <input type="hidden" name="kode"
value="<?php echo $id;?>">
                                <input type="text" name="xjudul"
class="form-control" value="<?php echo $judul;?>" id="inputUserName"
placeholder="Judul" required>
                            </div>
                        </div>
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
                            <div class="col-sm-7">

```

```

                                <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..." required><?php
echo $deskripsi;?></textarea>
                                </div>
                                </div>
                                </div>
                                <div class="modal-footer">
                                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Update</button>
                                </div>
                                </form>
                                </div>
                                </div>
                                </div>
                                </div>
                                <?php endforeach;?>

                                <?php foreach ($data->result_array() as $i) :
                                    $id=$i['pengumuman_id'];
                                    $judul=$i['pengumuman_judul'];
                                    $deskripsi=$i['pengumuman_deskripsi'];
                                    $author=$i['pengumuman_author'];
                                    $tanggal=$i['tanggal'];
                                ?>
                                <!--Modal Hapus Pengguna-->
                                <div class="modal fade" id="ModalHapus<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
                                    <div class="modal-dialog" role="document">
                                        <div class="modal-content">
                                            <div class="modal-header">
                                                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                                                <h4 class="modal-title"
id="myModalLabel">Hapus Pengumuman</h4>
                                            </div>
                                            <form class="form-horizontal" action="<?php echo
base_url().'admin/pengumuman/hapus_pengumuman'?" method="post"
enctype="multipart/form-data">
                                                <div class="modal-body">
                                                    <input type="hidden"
name="kode" value="<?php echo $id;?>" />
                                                    <p>Apakah Anda yakin mau menghapus
pengumuman <b><?php echo $judul;?></b> ?</p>
                                                </div>
                                                <div class="modal-footer">
                                                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                                                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                                                </div>
                                            </form>
                                        </div>
                                    </div>
                                </div>
                                </div>
                                </div>
                                </div>
                                <?php endforeach;?>

```



```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?">
</script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datepicker/bootstrap-
datepicker.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.js'?"></s
cript>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?"></script>
<!-- page script -->
<script>
$(function () {
    $('#example1').DataTable();
    $('#example2').DataTable({
        "paging": true,
        "lengthChange": false,
        "searching": false,
        "ordering": true,
        "info": true,
        "autoWidth": false
    });

    $('#datepicker').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker2').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker3').datepicker({

```

```

        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $('#datepicker4').datepicker({
        autoclose: true,
        format: 'yyyy-mm-dd'
    });
    $(".timepicker").timepicker({
        showInputs: true
    });

});
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

    <?php elseif($this->session->flashdata('msg')== 'success') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Success',
                text: "Pengumuman Berhasil disimpan ke
database.",
                showHideTransition: 'slide',
                icon: 'success',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#7EC857'
            });
        </script>
    <?php elseif($this->session->flashdata('msg')== 'info') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Info',
                text: "Pengumuman berhasil di update",
                showHideTransition: 'slide',
                icon: 'info',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#00C9E6'
            });
        </script>
    <?php elseif($this->session->flashdata('msg')== 'success-
hapus') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Success',
                text: "Pengumuman Berhasil dihapus.",
                showHideTransition: 'slide',
                icon: 'success',
                hideAfter: false,

```

```

        position: 'bottom-right',
        bgColor: '#7EC857'
    });
</script>
<?php else:?>

<?php endif;?>
</body>
</html>

```

File m_pengumuman

```

<?php
class M_pengumuman extends CI_Model{

    function get_all_pengumuman(){
        $hsl=$this->db->query("SELECT
pengumuman_id,pengumuman_judul,pengumuman_deskripsi,DATE_FORMAT(pengu
muman_tanggal,'%d/%m/%Y') AS tanggal,pengumuman_author FROM
tbl_pengumuman ORDER BY pengumuman_id DESC");
        return $hsl;
    }
    function simpan_pengumuman($judul,$deskripsi){
        $author=$this->session->userdata('nama');
        $hsl=$this->db->query("INSERT INTO
tbl_pengumuman(pengumuman_judul,pengumuman_deskripsi,pengumuman_autho
r) VALUES ('$judul','$deskripsi','$author')");
        return $hsl;
    }
    function update_pengumuman($kode,$judul,$deskripsi){
        $author=$this->session->userdata('nama');
        $hsl=$this->db->query("UPDATE tbl_pengumuman SET
pengumuman_judul='$judul',pengumuman_deskripsi='$deskripsi',pengumuma
n_author='$author' where pengumuman_id='$kode'");
        return $hsl;
    }
    function hapus_pengumuman($kode){
        $hsl=$this->db->query("DELETE FROM tbl_pengumuman WHERE
pengumuman_id='$kode'");
        return $hsl;
    }

    //Front-end
    function get_pengumuman_home(){
        $hsl=$this->db->query("SELECT
pengumuman_id,pengumuman_judul,pengumuman_deskripsi,DATE_FORMAT(pengu
muman_tanggal,'%d/%m/%Y') AS tanggal,pengumuman_author FROM
tbl_pengumuman ORDER BY pengumuman_id DESC limit 3");
        return $hsl;
    }

    function pengumuman(){
        $hsl=$this->db->query("SELECT
pengumuman_id,pengumuman_judul,pengumuman_deskripsi,DATE_FORMAT(pengu
muman_tanggal,'%d/%m/%Y') AS tanggal,pengumuman_author FROM
tbl_pengumuman ORDER BY pengumuman_id DESC");
        return $hsl;
    }
    function pengumuman_perpage($offset,$limit){
        $hsl=$this->db->query("SELECT
pengumuman_id,pengumuman_judul,pengumuman_deskripsi,pengumuman_tangga
l,DATE_FORMAT(pengumuman_tanggal,'%d/%m/%Y') AS

```

```

tanggal,pengumuman_author FROM tbl_pengumuman ORDER BY pengumuman_id
DESC limit $offset,$limit");
        return $hsl;
    }
}

```

7. Menu Download(Fatwa)

File v_file

```

<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Download</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?>">
    <!-- bootstrap datepicker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>"/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

```

```

<?php
    $this->load->view('admin/v_header');
?>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
    <!-- sidebar: style can be found in sidebar.less -->
    <section class="sidebar">

        <!-- /.search form -->
        <!-- sidebar menu: : style can be found in sidebar.less -->
        <ul class="sidebar-menu">
            <li class="header">Menu Utama</li>
            <li class="active">
                <a href="<?php echo base_url().'admin/dashboard'?">
                    <i class="fa fa-home"></i> <span>Dashboard</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
            <li class="treeview">
                <a href="#">
                    <i class="fa fa-newspaper-o"></i>
                    <span>Berita</span>
                    <span class="pull-right-container">
                        <i class="fa fa-angle-left pull-right"></i>
                    </span>
                </a>
                <ul class="treeview-menu">
                    <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
                    <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
                    <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
                </ul>
            </li>
            <li>
                <a href="<?php echo base_url().'admin/pengguna'?">
                    <i class="fa fa-users"></i> <span>Pengguna</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
            <li>
                <a href="<?php echo base_url().'admin/agenda'?">
                    <i class="fa fa-calendar"></i> <span>Agenda</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
            <li>
                <a href="<?php echo base_url().'admin/pengumuman'?">
                    <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
                    <span class="pull-right-container">
                        <small class="label pull-right"></small>
                    </span>
                </a>
            </li>
        </ul>
    </section>
</aside>

```

```

        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/files'?>">
            <i class="fa fa-download"></i> <span>Download</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-camera"></i>
            <span>Gallery</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/album'?>"><i
class="fa fa-clone"></i> Album</a></li>
            <li><a href="<?php echo base_url().'admin/galeri'?>"><i
class="fa fa-picture-o"></i> Photos</a></li>
        </ul>
    </li>

    <li class="treeview">
        <a href="#">
            <i class="fa fa-user"></i>
            <span>Data</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/pengurus'?>"><i
class="fa fa-users"></i> Data Pengurus</a></li>
            <li><a href="<?php echo base_url().'admin/ulama'?>"><i
class="fa fa-users"></i> Data Ulama</a></li>
        </ul>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/inbox'?>">
            <i class="fa fa-envelope"></i> <span>Inbox</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
            </span>
        </a>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/komentar'?>">
            <i class="fa fa-comments"></i> <span>Komentar</span>
            <span class="pull-right-container">
                <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
            </span>
        </a>
    </li>

```

```

        </li>

        <li>
            <a href="<?php echo base_url().'administrator/logout'?">
                <i class="fa fa-sign-out"></i> <span>Sign Out</span>
                <span class="pull-right-container">
                    <small class="label pull-right"></small>
                </span>
            </a>
        </li>

    </ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Download
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Download</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
                                data-target="#myModal"><span class="fa fa-plus"></span> Add File</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
                                style="font-size:12px;">
                                <thead>
                                    <tr>
                                        <th style="width:70px;">#</th>
                                        <th>File</th>
                                        <th>Tanggal Post</th>
                                        <th>Oleh</th>
                                        <th>Download</th>
                                        <th style="text-align:right;">Aksi</th>
                                    </tr>
                                </thead>
                                <tbody>
                                    <?php
                                        $no=0;
                                        foreach ($data->result_array() as $i) :

```

```

                $no++;
                $id=$i['file_id'];
                $judul=$i['file_judul'];
                $deskripsi=$i['file_deskripsi'];
                $oleh=$i['file_oleh'];
                $tanggal=$i['tanggal'];
                $download=$i['file_download'];
                $file=$i['file_data'];
            ?>
        <tr>
            <td><?php echo $no;?></td>
            <td><a href="<?php echo
base_url().'admin/files/download/' . $id;?>"><?php echo
$judul;?></a></td>
            <td><?php echo $tanggal;?></td>
            <td><?php echo $oleh;?></td>
            <td><?php echo $download;?></td>
            <td style="text-align:right;">
                <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $id;?>"><span class="fa fa-
pencil"></span></a>
                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $id;?>"><span class="fa fa-
trash"></span></a>
            </td>
        </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
        <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
    </ul>
    <!-- Tab panes -->
    <div class="tab-content">
        <!-- Home tab content -->

```



```

<div class="tab-pane" id="control-sidebar-home-tab">
  <h3 class="control-sidebar-heading">Recent Activity</h3>
  <ul class="control-sidebar-menu">
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-birthday-cake bg-red"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

          <p>Will be 23 on April 24th</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-user bg-yellow"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

          <p>New phone +1(800)555-1234</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

          <p>nora@example.com</p>
        </div>
      </a>
    </li>
    <li>
      <a href="javascript:void(0)">
        <i class="menu-icon fa fa-file-code-o bg-green"></i>

        <div class="menu-info">
          <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

          <p>Execution time 5 seconds</p>
        </div>
      </a>
    </li>
  </ul>
  <!-- /.control-sidebar-menu -->

  <h3 class="control-sidebar-heading">Tasks Progress</h3>
  <ul class="control-sidebar-menu">
    <li>
      <a href="javascript:void(0)">
        <h4 class="control-sidebar-subheading">
Custom Template Design

```

```

                <span class="label label-danger pull-
right">70%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
                </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                Back End Framework
                <span class="label label-primary pull-
right">68%</span>
                </h4>

                <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
                </div>
                </a>
            </li>
        </ul>
        <!-- /.control-sidebar-menu -->

    </div>
    <!-- /.tab-pane -->
    <!-- Stats tab content -->
    <div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
    <!-- /.tab-pane -->

```

```

<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
  <form method="post">
    <h3 class="control-sidebar-heading">General Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Report panel usage
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Some information about this general settings option
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Other sets of options are available
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Allow the user to show his name in blog posts
      </p>
    </div>
    <!-- /.form-group -->

    <h3 class="control-sidebar-heading">Chat Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">

```

```

        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
        </label>
        </div>
        <!-- /.form-group -->
    </form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediatly after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
File</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/files/simpan_file'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Judul</label>
                            <div class="col-sm-7">
                                <input type="text" name="xjudul"
class="form-control" id="inputUserName" placeholder="Judul" required>
                            </div>
                        </div>
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
                            <div class="col-sm-7">
                                <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..."
required></textarea>
                            </div>
                        </div>
                    </div>
                    <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Oleh</label>
                            <div class="col-sm-7">
                                <input type="text" name="xoleh"
class="form-control" id="inputUserName" placeholder="Oleh" required>
                            </div>
                        </div>
                    <div class="form-group">

```

```

                                <label for="inputUserName"
class="col-sm-4 control-label">File</label>
                                <div class="col-sm-7">
                                    <input type="file" name="filefoto"
required>
                                    NB: file harus bertype
pdf|doc|docx|ppt|pptx|zip. ukuran maksimal 2,7 MB.
                                </div>
                                </div>
                                </div>
                                <div class="modal-footer">
                                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
                                </div>
                                </form>
                                </div>
                                </div>
                                </div>
                                </div>

                                <?php foreach ($data->result_array() as $i) :
                                    $id=$i['file_id'];
                                    $judul=$i['file_judul'];
                                    $deskripsi=$i['file_deskripsi'];
                                    $oleh=$i['file_oleh'];
                                    $tanggal=$i['tanggal'];
                                    $download=$i['file_download'];
                                    $file=$i['file_data'];
                                ?>
                                <!--Modal Edit Pengguna-->
                                <div class="modal fade" id="ModalEdit<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
                                    <div class="modal-dialog" role="document">
                                        <div class="modal-content">
                                            <div class="modal-header">
                                                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                                                <h4 class="modal-title"
id="myModalLabel">Edit File</h4>
                                            </div>
                                            <form class="form-horizontal" action="<?php echo
base_url().'admin/files/update_file'?" method="post"
enctype="multipart/form-data">
                                                <div class="modal-body">
                                                    <div class="form-group">
                                                        <label for="inputUserName"
class="col-sm-4 control-label">Judul</label>
                                                        <div class="col-sm-7">
                                                            <input type="hidden" name="kode"
value="<?php echo $id;?>">
                                                            <input type="hidden" name="file"
value="<?php echo $file;?>">
                                                            <input type="text" name="xjudul"
class="form-control" value="<?php echo $judul;?>" id="inputUserName"
placeholder="Judul" required>
                                                        </div>
                                                    </div>

```

```

        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
            <div class="col-sm-7">
                <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..." required<?php
echo $deskripsi;?></textarea>
            </div>
        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Oleh</label>
            <div class="col-sm-7">
                <input type="text" name="xoleh"
class="form-control" value="<?php echo $oleh;?>" id="inputUserName"
placeholder="Oleh" required>
            </div>
        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">File</label>
            <div class="col-sm-7">
                <input type="file" name="filefoto">
                NB: file harus bertype
pdf|doc|docx|ppt|pptx|zip. ukuran maksimal 2,7 MB.
            </div>
        </div>
    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Update</button>
    </div>
</form>
</div>
</div>
</div>
<?php endforeach;?>

<?php foreach ($data->result_array() as $i) :
    $id=$i['file_id'];
    $judul=$i['file_judul'];
    $deskripsi=$i['file_deskripsi'];
    $oleh=$i['file_oleh'];
    $tanggal=$i['tanggal'];
    $download=$i['file_download'];
    $file=$i['file_data'];
?>

<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>

```

```

                <h4 class="modal-title"
id="myModalLabel">Hapus File</h4>
            </div>
            <form class="form-horizontal" action="<?php echo
base_url().'admin/files/hapus_file'?" method="post"
enctype="multipart/form-data">
                <div class="modal-body">
                    <input
type="hidden" name="kode" value="<?php echo $id;?>" />
                    <input type="hidden" name="file"
value="<?php echo $file;?>">
                    <p>Apakah Anda yakin mau menghapus file
<b><?php echo $judul;?></b> ?</p>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                </div>
            </form>
        </div>
    </div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?"
></script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datepicker/bootstrap-
datepicker.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.js'?"></s
cript>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->

```

```

<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?>"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?>"></script>
<!-- page script -->
<script>
    $(function () {
        $('#example1').DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });

        $('#datepicker').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker2').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker3').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker4').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $(".timepicker").timepicker({
            showInputs: true
        });

    });
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

<?php elseif($this->session->flashdata('msg')== 'success') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "File Berhasil disimpan ke database.",

```



```

        showHideTransition: 'slide',
        icon: 'success',
        hideAfter: false,
        position: 'bottom-right',
        bgColor: '#7EC857'
    });
</script>
<?php elseif($this->session->flashdata('msg')== 'info') :?>
<script type="text/javascript">
    $.toast({
        heading: 'Info',
        text: "File berhasil di update",
        showHideTransition: 'slide',
        icon: 'info',
        hideAfter: false,
        position: 'bottom-right',
        bgColor: '#00C9E6'
    });
</script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus') :?>
<script type="text/javascript">
    $.toast({
        heading: 'Success',
        text: "File Berhasil dihapus.",
        showHideTransition: 'slide',
        icon: 'success',
        hideAfter: false,
        position: 'bottom-right',
        bgColor: '#7EC857'
    });
</script>
<?php else :?>

<?php endif;?>
</body>
</html>

```

File m_file

```

<?php
class M_files extends CI_Model{

    function get_all_files(){
        $hsl=$this->db->query("SELECT
file_id,file_judul,file_deskripsi,DATE_FORMAT(file_tanggal,'%d/%m/%Y'
) AS tanggal,file_oleh,file_download,file_data FROM tbl_files ORDER
BY file_id DESC");
        return $hsl;
    }
    function simpan_file($judul,$deskripsi,$oleh,$file){
        $hsl=$this->db->query("INSERT INTO
tbl_files(file_judul,file_deskripsi,file_oleh,file_data) VALUES
('$judul','$deskripsi','$oleh','$file')");
        return $hsl;
    }
    function update_file($kode,$judul,$deskripsi,$oleh,$file){
        $hsl=$this->db->query("UPDATE tbl_files SET
file_judul='$judul',file_deskripsi='$deskripsi',file_oleh='$oleh',fil
e_data='$file' WHERE file_id='$kode'");
        return $hsl;
    }
}

```

```

function update_file_tanpa_file($kode,$judul,$deskripsi,$oleh) {
    $hsl=$this->db->query("UPDATE tbl_files SET
file_judul='$judul',file_deskripsi='$deskripsi',file_oleh='$oleh'
WHERE file_id='$kode'");
    return $hsl;
}
function hapus_file($kode){
    $hsl=$this->db->query("DELETE FROM tbl_files WHERE
file_id='$kode'");
    return $hsl;
}

function get_file_byid($id){
    $hsl=$this->db->query("SELECT
file_id,file_judul,file_deskripsi,DATE_FORMAT(file_tanggal,'%d/%m/%Y'
) AS tanggal,file_oleh,file_download,file_data FROM tbl_files WHERE
file_id='$id'");
    return $hsl;
}

//Front-end
function get_files_home(){
    $hsl=$this->db->query("SELECT
file_id,file_judul,file_deskripsi,DATE_FORMAT(file_tanggal,'%d/%m/%Y'
) AS tanggal,file_oleh,file_download,file_data FROM tbl_files ORDER
BY file_id DESC limit 7");
    return $hsl;
}
}

```

8. Menu Gallery

File v_gallery

```

<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Album</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">

```

```

<!-- Theme style -->
<link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
<!-- AdminLTE Skins. Choose a skin from the css/skins
folder instead of downloading all of them to reduce the load.
-->
<link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
<link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>"/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
    $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->
        <section class="sidebar">

            <!-- /.search form -->
            <!-- sidebar menu: : style can be found in sidebar.less -->
            <ul class="sidebar-menu">
                <li class="header">Menu Utama</li>
                <li class="active">
                    <a href="<?php echo base_url().'admin/dashboard'?>">
                        <i class="fa fa-home"></i> <span>Dashboard</span>
                        <span class="pull-right-container">
                            <small class="label pull-right"></small>
                        </span>
                    </a>
                </li>
                <li class="treeview">
                    <a href="#">
                        <i class="fa fa-newspaper-o"></i>
                        <span>Berita</span>
                        <span class="pull-right-container">
                            <i class="fa fa-angle-left pull-right"></i>
                        </span>
                    </a>
                    <ul class="treeview-menu">
                        <li><a href="<?php echo base_url().'admin/tulisan'?>"><i
class="fa fa-list"></i> List Berita</a></li>
                        <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?>"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
                        <li><a href="<?php echo base_url().'admin/kategori'?>"><i
class="fa fa-wrench"></i> Kategori</a></li>
                    </ul>
                </li>
                <li>
                    <a href="<?php echo base_url().'admin/pengguna'?>">
                        <i class="fa fa-users"></i> <span>Pengguna</span>
                        <span class="pull-right-container">
                            <small class="label pull-right"></small>
                        </span>
                    </a>
                </li>
            </ul>
        </section>
    </aside>

```

```

        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/agenda'?">
            <i class="fa fa-calendar"></i> <span>Agenda</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/pengumuman'?">
            <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li>
        <a href="<?php echo base_url().'admin/files'?">
            <i class="fa fa-download"></i> <span>Download</span>
            <span class="pull-right-container">
                <small class="label pull-right"></small>
            </span>
        </a>
    </li>
    <li class="treeview">
        <a href="#">
            <i class="fa fa-camera"></i>
            <span>Gallery</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
            <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
        </ul>
    </li>

    <li class="treeview">
        <a href="#">
            <i class="fa fa-user"></i>
            <span>Data</span>
            <span class="pull-right-container">
                <i class="fa fa-angle-left pull-right"></i>
            </span>
        </a>
        <ul class="treeview-menu">
            <li><a href="<?php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
            <li><a href="<?php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>
        </ul>
    </li>

    <li>
        <a href="<?php echo base_url().'admin/inbox'?">

```

```

        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'admin/komentar'?">
        <i class="fa fa-comments"></i> <span>Komentar</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'administrator/logout'?">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Data Album
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Album</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-plus"></span> Add Album</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">

```

```

        <table id="example1" class="table table-striped"
style="font-size:13px;">
        <thead>
        <tr>
                <th>Gambar</th>
                <th>Album</th>
                <th>Tanggal</th>
                <th>Author</th>
                <th>Jumlah</th>
                <th style="text-align:right;">Aksi</th>
        </tr>
        </thead>
        <tbody>
                <?php
                $no=0;
                foreach ($data->result_array() as
$no) :
                        $no++;
                        $album_id=$i['album_id'];
                        $album_nama=$i['album_nama'];
                        $album_tanggal=$i['tanggal'];

                        $album_author=$i['album_author'];

                        $album_cover=$i['album_cover'];

                        $album_jumlah=$i['album_count'];

                                ?>
                                <tr>
                                        <td></td>
                                        <td><?php echo $album_nama;?></td>
                                        <td><?php echo $album_tanggal;?></td>
                                        <td><?php echo $album_author;?></td>
                                        <td><?php echo $album_jumlah;?></td>
                                        <td style="text-align:right;">
                                                <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $album_id;?>"><span class="fa fa-
pencil"></span></a>
                                                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $album_id;?>"><span class="fa fa-
trash"></span></a>
                                        </td>
                                </tr>
                                <?php endforeach;?>
                                </tbody>
                                </table>
                                </div>
                                <!-- /.box-body -->
                                </div>
                                <!-- /.box -->
                                </div>
                                <!-- /.col -->
                                </div>
                                <!-- /.row -->
                                </section>
                                <!-- /.content -->
                                </div>
                                <!-- /.content-wrapper -->

```

```

<footer class="main-footer">
  <div class="pull-right hidden-xs">
    <b>Version</b> 1.0
  </div>
  <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

```

```

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
  <!-- Create the tabs -->
  <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
  </ul>
  <!-- Tab panes -->
  <div class="tab-content">
    <!-- Home tab content -->
    <div class="tab-pane" id="control-sidebar-home-tab">
      <h3 class="control-sidebar-heading">Recent Activity</h3>
      <ul class="control-sidebar-menu">
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-birthday-cake bg-red"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

              <p>Will be 23 on April 24th</p>
            </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-user bg-yellow"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

              <p>New phone +1(800)555-1234</p>
            </div>
          </a>
        </li>
        <li>
          <a href="javascript:void(0)">
            <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

            <div class="menu-info">
              <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

              <p>nora@example.com</p>
            </div>
          </a>
        </li>
      </ul>
    </div>
  </div>

```

```

        <a href="javascript:void(0)">
            <i class="menu-icon fa fa-file-code-o bg-green"></i>

            <div class="menu-info">
                <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

                <p>Execution time 5 seconds</p>
            </div>
        </a>
    </li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Custom Template Design
                <span class="label label-danger pull-
right">70%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Update Resume
                <span class="label label-success pull-
right">95%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">
                Laravel Integration
                <span class="label label-warning pull-
right">50%</span>
            </h4>

            <div class="progress progress-xxs">
                <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
            </div>
        </a>
    </li>
    <li>
        <a href="javascript:void(0)">
            <h4 class="control-sidebar-subheading">

```



```

        Back End Framework
        <span class="label label-primary pull-
right">68%</span>
        </h4>

        <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
        </div>
        </a>
        </li>
    </ul>
    <!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
    <form method="post">
        <h3 class="control-sidebar-heading">General Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Report panel usage
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Some information about this general settings option
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Allow mail redirect
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Other sets of options are available
            </p>
        </div>
        <!-- /.form-group -->

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Expose author name in posts
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Allow the user to show his name in blog posts
            </p>
        </div>
        <!-- /.form-group -->

```

```

<h3 class="control-sidebar-heading">Chat Settings</h3>

<div class="form-group">
  <label class="control-sidebar-subheading">
    Show me as online
    <input type="checkbox" class="pull-right" checked>
  </label>
</div>
<!-- /.form-group -->

<div class="form-group">
  <label class="control-sidebar-subheading">
    Turn off notifications
    <input type="checkbox" class="pull-right">
  </label>
</div>
<!-- /.form-group -->

<div class="form-group">
  <label class="control-sidebar-subheading">
    Delete chat history
    <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
  </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
<div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
        <h4 class="modal-title" id="myModalLabel">Add
Album</h4>
      </div>
      <form class="form-horizontal" action="<?php echo
base_url(). 'admin/album/simpan_album' ?>" method="post"
enctype="multipart/form-data">
        <div class="modal-body">

          <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Nama Album</label>
            <div class="col-sm-7">

```

```

        <input type="text"
name="xnama_album" class="form-control" id="inputUserName"
placeholder="Nama Album" required>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Cover Album</label>
        <div class="col-sm-7">
            <input type="file"
name="filefoto" required/>
        </div>
    </div>

</div>
<div class="modal-footer">
    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
</div>
</form>
</div>
</div>
</div>

<!--Modal Edit Album-->
<?php foreach ($data->result_array() as $i) :
    $album_id=$i['album_id'];
    $album_nama=$i['album_nama'];
    $album_tanggal=$i['tanggal'];
    $album_author=$i['album_author'];
    $album_cover=$i['album_cover'];
    $album_jumlah=$i['album_count'];
?>

    <div class="modal fade" id="ModalEdit<?php echo $album_id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Edit Album</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/album/update_album'?>" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden" name="kode"
value="<?php echo $album_id;?>"/>
                        <input type="hidden" value="<?php
echo $album_cover;?>" name="gambar">
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama Album</label>
                            <div class="col-sm-7">

```

```

        <input type="text"
name="xnama_album" class="form-control" value="<?php echo
$album_nama;?>" id="inputUserName" placeholder="Nama Album" required>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Cover Album</label>
        <div class="col-sm-7">
            <input type="file"
name="filefoto"/>
        </div>
    </div>

    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
    </div>
</form>
</div>
</div>
</div>
<?php endforeach;?>
<!--Modal Edit Album-->

<?php foreach ($data->result_array() as $i) :
    $album_id=$i['album_id'];
    $album_nama=$i['album_nama'];
    $album_tanggal=$i['tanggal'];
    $album_author=$i['album_author'];
    $album_cover=$i['album_cover'];
    $album_jumlah=$i['album_count'];
    ?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo
$album_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Album</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/album/hapus_album'?" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden"
name="kode" value="<?php echo $album_id;?>"/>
                        <input type="hidden" value="<?php echo
$album_cover;?>" name="gambar">
                        <p>Apakah Anda yakin mau menghapus
Posting <b><?php echo $album_nama;?></b> ?</p>

```

```

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
        </div>
    </form>
</div>
</div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url(). 'assets/plugins/jquery/jquery-
2.2.3.min.js'?>"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url(). 'assets/bootstrap/js/bootstrap.min.js'?>"></script>
<!-- DataTables -->
<script src="<?php echo
base_url(). 'assets/plugins/datatables/jquery.dataTables.min.js'?>"></
script>
<script src="<?php echo
base_url(). 'assets/plugins/datatables/dataTables.bootstrap.min.js'?>"
></script>
<!-- SlimScroll -->
<script src="<?php echo
base_url(). 'assets/plugins/slimScroll/jquery.slimscroll.min.js'?>"></
script>
<!-- FastClick -->
<script src="<?php echo
base_url(). 'assets/plugins/fastclick/fastclick.js'?>"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url(). 'assets/dist/js/app.min.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url(). 'assets/dist/js/demo.js'?>"></script>
<script type="text/javascript" src="<?php echo
base_url(). 'assets/plugins/toast/jquery.toast.min.js'?>"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });
    });
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({

```

```

        heading: 'Error',
        text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
        showHideTransition: 'slide',
        icon: 'error',
        hideAfter: false,
        position: 'bottom-right',
        bgColor: '#FF4859'
    });
</script>

<?php elseif($this->session->flashdata('msg')== 'success'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Album Berhasil disimpan ke database.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'info'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Info',
            text: "Album berhasil di update",
            showHideTransition: 'slide',
            icon: 'info',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#00C9E6'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus'):?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Album Berhasil dihapus.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php else:?>

<?php endif;?>
</body>
</html>

```

File m_gallery

```

<?php
class M_galeri extends CI_Model{

    function get_all_galeri(){
        $sql=$this->db->query("SELECT
tbl_galeri.*,DATE_FORMAT(galeri_tanggal,'%d/%m/%Y') AS

```

```

tanggal,album_nama FROM tbl_galeri join tbl_album on
galeri_album_id=album_id ORDER BY galeri_id DESC");
        return $hsl;
    }
    function
simpan_galeri($judul,$album,$user_id,$user_nama,$gambar){
        $this->db->trans_start();
        $this->db->query("insert into
tbl_galeri(galeri_judul,galeri_album_id,galeri_pengguna_id,galeri_au-
hor,galeri_gambar) values
('$judul','$album','$user_id','$user_nama','$gambar')");
        $this->db->query("update tbl_album set
album_count=album_count+1 where album_id='$album'");
        $this->db->trans_complete();
        if($this->db->trans_status()===true)
            return true;
        else
            return false;
    }

    function
update_galeri($galeri_id,$judul,$album,$user_id,$user_nama,$gambar){
        $hsl=$this->db->query("update tbl_galeri set
galeri_judul='$judul',galeri_album_id='$album',galeri_pengguna_id='$u-
ser_id',galeri_author='$user_nama',galeri_gambar='$gambar' where
galeri_id='$galeri_id'");
        return $hsl;
    }
    function
update_galeri_tanpa_img($galeri_id,$judul,$album,$user_id,$user_nama)
{
        $hsl=$this->db->query("update tbl_galeri set
galeri_judul='$judul',galeri_album_id='$album',galeri_pengguna_id='$u-
ser_id',galeri_author='$user_nama' where galeri_id='$galeri_id'");
        return $hsl;
    }
    function hapus_galeri($kode,$album){
        $this->db->trans_start();
        $this->db->query("delete from tbl_galeri where
galeri_id='$kode'");
        $this->db->query("update tbl_album set
album_count=album_count-1 where album_id='$album'");
        $this->db->trans_complete();
        if($this->db->trans_status()===true)
            return true;
        else
            return false;
    }

    //Front-End
    function get_galeri_home(){
        $hsl=$this->db->query("SELECT
tbl_galeri.*,DATE_FORMAT(galeri_tanggal,'%d/%m/%Y') AS
tanggal,album_nama FROM tbl_galeri join tbl_album on
galeri_album_id=album_id ORDER BY galeri_id DESC limit 4");
        return $hsl;
    }

    function get_galeri_by_album_id($idalbum){
        $hsl=$this->db->query("SELECT
tbl_galeri.*,DATE_FORMAT(galeri_tanggal,'%d/%m/%Y') AS

```

```

tanggal,album_nama FROM tbl_galeri join tbl_album on
galeri_album_id=album_id where galeri_album_id='$idalbum' ORDER BY
galeri_id DESC");
        return $hsl;
    }
}

```

9. Menu Ulama

File v_ulama

```

<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Data Ulama</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>">

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
    $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->

```



```

<section class="sidebar">

<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
  <li class="header">Menu Utama</li>
  <li class="active">
    <a href="<?php echo base_url().'admin/dashboard'?">
      <i class="fa fa-home"></i> <span>Dashboard</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li class="treeview">
    <a href="#">
      <i class="fa fa-newspaper-o"></i>
      <span>Berita</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-left pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
      <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
      <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
    </ul>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengguna'?">
      <i class="fa fa-users"></i> <span>Pengguna</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/agenda'?">
      <i class="fa fa-calendar"></i> <span>Agenda</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengumuman'?">
      <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/files'?">
      <i class="fa fa-download"></i> <span>Download</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>

```

```

        </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-camera"></i>
        <span>Gallery</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
        <li><a href="<?php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
    </ul>
</li>

<li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/siswa'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>

    </ul>
</li>

<li>
    <a href="<?php echo base_url().'admin/inbox'?">
        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'admin/komentar'?">
        <i class="fa fa-comments"></i> <span>Komentar</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'administrator/logout'?">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

```

```

        </span>
        </a>
    </li>

</ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Data Ulama
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Ulama</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-plus"></span> Add Ulama</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
style="font-size:13px;">
                                <thead>
                                    <tr>
                                        <th>Photo</th>
                                        <th>NIK</th>
                                        <th>Nama</th>
                                        <th>Tempat/Tgl Lahir</th>
                                        <th>Jenis Kelamin</th>
                                        <th>Alamat</th>
                                        <th style="text-align:right;">Aksi</th>
                                    </tr>
                                </thead>
                                <tbody>

                                    <?php
                                        $no=0;
                                        foreach ($data->result_array() as
$no) :
                                        $no++;
                                        $id=$i['ulama_id'];
                                        $nip=$i['ulama_nip'];
                                        $nama=$i['ulama_nama'];
                                        $jenkel=$i['ulama_jenkel'];

```

```

$tmp_lahir=$i['ulama_tmp_lahir'];

$tgl_lahir=$i['ulama_tgl_lahir'];
    $alamat=$i['ulama_alamat'];
    $photo=$i['ulama_photo'];

    ?>
    <tr>
        <?php if(empty($photo)):?>
            <td></td>
        <?php else:?>
            <td></td>
        <?php endif;?>
        <td><?php echo $nip;?></td>
            <td><?php echo $nama;?></td>
        <td><?php echo $tmp_lahir.', '.$tgl_lahir;?></td>
        <?php if($jenkel=='L'):?>
            <td>Laki-Laki</td>
        <?php else:?>
            <td>Perempuan</td>
        <?php endif;?>
        <td><?php echo $alamat;?></td>
        <td style="text-align:right;">
            <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $id;?>"><span class="fa fa-
pencil"></span></a>
                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $id;?>"><span class="fa fa-
trash"></span></a>
            </td>
    </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">

```

```

    <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
    <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
</ul>
<!-- Tab panes -->
<div class="tab-content">
<!-- Home tab content -->
<div class="tab-pane" id="control-sidebar-home-tab">
<h3 class="control-sidebar-heading">Recent Activity</h3>
<ul class="control-sidebar-menu">
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-birthday-cake bg-red"></i>

<div class="menu-info">
<h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

<p>Will be 23 on April 24th</p>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-user bg-yellow"></i>

<div class="menu-info">
<h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

<p>New phone +1(800)555-1234</p>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

<div class="menu-info">
<h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

<p>nora@example.com</p>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-file-code-o bg-green"></i>

<div class="menu-info">
<h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

<p>Execution time 5 seconds</p>
</div>
</a>
</li>
</ul>

```

```

<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
  <li>
    <a href="javascript:void(0)">
      <h4 class="control-sidebar-subheading">
        Custom Template Design
        <span class="label label-danger pull-
right">70%</span>
      </h4>

      <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <h4 class="control-sidebar-subheading">
        Update Resume
        <span class="label label-success pull-
right">95%</span>
      </h4>

      <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <h4 class="control-sidebar-subheading">
        Laravel Integration
        <span class="label label-warning pull-
right">50%</span>
      </h4>

      <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
      </div>
    </a>
  </li>
  <li>
    <a href="javascript:void(0)">
      <h4 class="control-sidebar-subheading">
        Back End Framework
        <span class="label label-primary pull-
right">68%</span>
      </h4>

      <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
      </div>
    </a>
  </li>
</ul>

```

```

        <!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
  <form method="post">
    <h3 class="control-sidebar-heading">General Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Report panel usage
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Some information about this general settings option
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Other sets of options are available
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Allow the user to show his name in blog posts
      </p>
    </div>
    <!-- /.form-group -->

    <h3 class="control-sidebar-heading">Chat Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">

```

```

        Turn off notifications
        <input type="checkbox" class="pull-right">
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
    </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
    immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
Ulama</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url(). 'admin/ulama/simpan_ulama?'" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">NIK</label>
                            <div class="col-sm-7">
                                <input type="text"
name="xnip" class="form-control" id="inputUserName" placeholder="NIK"
required>
                            </div>
                        </div>

                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama</label>
                            <div class="col-sm-7">
                                <input type="text"
name="xnama" class="form-control" id="inputUserName"
placeholder="Nama" required>
                            </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Jenis Kelamin</label>
            <div class="col-sm-7">
                <div class="radio radio-
info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="L" name="xjenkel" checked>
                    <label
for="inlineRadio1"> Laki-Laki </label>
                </div>
                <div class="radio radio-
info radio-inline">
                    <input type="radio"
id="inlineRadio1" value="P" name="xjenkel">
                    <label
for="inlineRadio2"> Perempuan </label>
                </div>
            </div>
        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Tempat Lahir</label>
            <div class="col-sm-7">
                <input type="text"
name="xtmp_lahir" class="form-control" id="inputUserName"
placeholder="Tempat Lahir" required>
            </div>
        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Tanggal Lahir</label>
            <div class="col-sm-7">
                <input type="date"
name="xtgl_lahir" class="form-control" id="inputUserName"
placeholder="" required>
            </div>
        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Alamat</label>
            <div class="col-sm-7">
                <input type="text"
name="xalamat" class="form-control" id="inputUserName"
placeholder="Masukkan Alamat" required>
            </div>
        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
            <div class="col-sm-7">
                <input type="file"
name="filefoto"/>
            </div>
        </div>

```

```

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
        </div>
    </form>
</div>
</div>
</div>

<!--Modal Edit Album-->
<?php foreach ($data->result_array() as $i) :
    $id=$i['ulama_id'];
    $nip=$i['ulama_nip'];
    $nama=$i['ulama_nama'];
    $jenkel=$i['ulama_jenkel'];
    $tmp_lahir=$i['ulama_tmp_lahir'];
    $tgl_lahir=$i['ulama_tgl_lahir'];
    $alamat=$i['ulama_alamat'];
    $photo=$i['ulama_photo'];
?>

    <div class="modal fade" id="ModalEdit<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Edit ulama</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/ulama/update_ulama?>" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden" name="kode"
value="<?php echo $id;?>" />
                        <input type="hidden" value="<?php
echo $photo;?>" name="gambar">
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">NIK</label>
                            <div class="col-sm-7">
                                <input type="text"
name="xnip" value="<?php echo $nip;?>" class="form-control"
id="inputUserName" placeholder="NIK" required>
                            </div>
                        </div>
                        <div class="form-group">
                            <label for="inputUserName"
class="col-sm-4 control-label">Nama</label>
                            <div class="col-sm-7">

```

```

        <input type="text"
name="xnama" value="<?php echo $nama;?>" class="form-control"
id="inputUserName" placeholder="Nama" required>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Jenis Kelamin</label>
        <div class="col-sm-7">
            <?php if($jenkel=='L'):?>
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="L" name="xjenkel" checked>
                <label
for="inlineRadio1"> Laki-Laki </label>
            </div>
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="P" name="xjenkel">
                <label
for="inlineRadio2"> Perempuan </label>
            </div>
            <?php else:??>
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="L" name="xjenkel">
                <label
for="inlineRadio1"> Laki-Laki </label>
            </div>
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="P" name="xjenkel" checked>
                <label
for="inlineRadio2"> Perempuan </label>
            </div>
            <?php endif;??>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Tempat Lahir</label>
        <div class="col-sm-7">
            <input type="text"
name="xtmp_lahir" value="<?php echo $tmp_lahir;?>" class="form-
control" id="inputUserName" placeholder="Tempat Lahir" required>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Tanggal Lahir</label>
        <div class="col-sm-7">
            <input type="date"
name="xtgl_lahir" value="<?php echo $tgl_lahir;?>" class="form-
control" id="inputUserName" placeholder="" required>

```

```

        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Alamat</label>
        <div class="col-sm-7">
            <input type="text"
name="xalamat" value="<?php echo $alamat;?>" class="form-control"
id="inputUserName" placeholder="Masukkan Alamat" required>
        </div>
    </div>

    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
        <div class="col-sm-7">
            <input type="file"
name="filefoto"/>
        </div>
    </div>

    </div>
    <div class="modal-footer">
        <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
        <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
    </div>
</form>
</div>
</div>
<?php endforeach;?>
<!--Modal Edit Album-->

<?php foreach ($data->result_array() as $i) :
    $id=$i['ulama_id'];
    $nip=$i['ulama_nip'];
    $nama=$i['ulama_nama'];
    $jenkel=$i['ulama_jenkel'];
    $tmp_lahir=$i['ulama_tmp_lahir'];
    $tgl_lahir=$i['ulama_tgl_lahir'];
    $alamat=$i['ulama_alamat'];
    $photo=$i['ulama_photo'];
?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Ulama</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/ulama/hapus_ulama'?" method="post"
enctype="multipart/form-data">

```

```

        <div class="modal-body">
            <input type="hidden"
name="kode" value="<?php echo $id;?>"/>
            <input type="hidden" value="<?php echo
$photo;?>" name="gambar">
            <p>Apakah Anda yakin mau menghapus data
Ulama <b><?php echo $nama;?></b> ?</p>

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
        </div>
    </form>
</div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?">
</script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,

```

```

        "info": true,
        "autoWidth": false
    });
});
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
            masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

    <?php elseif($this->session->flashdata('msg')== 'success') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Success',
                text: "Ulama Berhasil disimpan ke database.",
                showHideTransition: 'slide',
                icon: 'success',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#7EC857'
            });
        </script>
    <?php elseif($this->session->flashdata('msg')== 'info') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Info',
                text: "Ulama berhasil di update",
                showHideTransition: 'slide',
                icon: 'info',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#00C9E6'
            });
        </script>
    <?php elseif($this->session->flashdata('msg')== 'success-
    hapus') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Success',
                text: "Ulama Berhasil dihapus.",
                showHideTransition: 'slide',
                icon: 'success',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#7EC857'
            });
        </script>
    <?php else :?>

    <?php endif;?>
</body>
</html>

```

File m_guru

```
<?php
class M_guru extends CI_Model{

    function get_all_guru(){
        $hsl=$this->db->query("SELECT * FROM tbl_guru");
        return $hsl;
    }

    function
simpan_guru($nip,$nama,$jenkel,$tmp_lahir,$tgl_lahir,$mapel,$photo){
        $hsl=$this->db->query("INSERT INTO tbl_guru
(guru_nip,guru_nama,guru_jenkel,guru_tmp_lahir,guru_tgl_lahir,guru_ma
pel,guru_photo) VALUES
('$nip','$nama','$jenkel','$tmp_lahir','$tgl_lahir','$mapel','$photo'
)");
        return $hsl;
    }

    function
simpan_guru_tanpa_img($nip,$nama,$jenkel,$tmp_lahir,$tgl_lahir,$mapel
){
        $hsl=$this->db->query("INSERT INTO tbl_guru
(guru_nip,guru_nama,guru_jenkel,guru_tmp_lahir,guru_tgl_lahir,guru_ma
pel) VALUES
('$nip','$nama','$jenkel','$tmp_lahir','$tgl_lahir','$mapel')");
        return $hsl;
    }

    function
update_guru($kode,$nip,$nama,$jenkel,$tmp_lahir,$tgl_lahir,$mapel,$ph
oto){
        $hsl=$this->db->query("UPDATE tbl_guru SET
guru_nip='$nip',guru_nama='$nama',guru_jenkel='$jenkel',guru_tmp_lahi
r='$tmp_lahir',guru_tgl_lahir='$tgl_lahir',guru_mapel='$mapel',guru_p
hoto='$photo' WHERE guru_id='$kode'");
        return $hsl;
    }

    function
update_guru_tanpa_img($kode,$nip,$nama,$jenkel,$tmp_lahir,$tgl_lahir,
$mapel){
        $hsl=$this->db->query("UPDATE tbl_guru SET
guru_nip='$nip',guru_nama='$nama',guru_jenkel='$jenkel',guru_tmp_lahi
r='$tmp_lahir',guru_tgl_lahir='$tgl_lahir',guru_mapel='$mapel' WHERE
guru_id='$kode'");
        return $hsl;
    }

    function hapus_guru($kode){
        $hsl=$this->db->query("DELETE FROM tbl_guru WHERE
guru_id='$kode'");
        return $hsl;
    }

    //front-end
    function guru(){
        $hsl=$this->db->query("SELECT * FROM tbl_guru");
        return $hsl;
    }

    function guru_perpage($offset,$limit){
        $hsl=$this->db->query("SELECT * FROM tbl_guru limit
$offset,$limit");
    }
}
```

```

        return $hsl;
    }

}

```

10. Menu Pengurus

File v_pengurus

```

<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Data Pengurus</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?">/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
        $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->
        <section class="sidebar">

```



```

<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
  <li class="header">Menu Utama</li>
  <li class="active">
    <a href="<?php echo base_url().'admin/dashboard'?">
      <i class="fa fa-home"></i> <span>Dashboard</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li class="treeview">
    <a href="#">
      <i class="fa fa-newspaper-o"></i>
      <span>Berita</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-left pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
      <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
      <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
    </ul>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengguna'?">
      <i class="fa fa-users"></i> <span>Pengguna</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/agenda'?">
      <i class="fa fa-calendar"></i> <span>Agenda</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengumuman'?">
      <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/files'?">
      <i class="fa fa-download"></i> <span>Download</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>

```

```

</li>
<li class="treeview">
  <a href="#">
    <i class="fa fa-camera"></i>
    <span>Gallery</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-left pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="php echo base_url().'admin/album'?"><i
class="fa fa-clone"></i> Album</a></li>
    <li><a href="php echo base_url().'admin/galeri'?"><i
class="fa fa-picture-o"></i> Photos</a></li>
  </ul>
</li>

<li class="treeview">
  <a href="#">
    <i class="fa fa-user"></i>
    <span>Data</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-left pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="php echo base_url().'admin/pengurus'?"><i
class="fa fa-users"></i> Data Pengurus</a></li>
    <li><a href="php echo base_url().'admin/ulama'?"><i
class="fa fa-users"></i> Data Ulama</a></li>
  </ul>
</li>

<li>
  <a href="php echo base_url().'admin/inbox'?">
    <i class="fa fa-envelope"></i> <span>Inbox</span>
    <span class="pull-right-container">
      <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
    </span>
  </a>
</li>

<li>
  <a href="php echo base_url().'admin/komentar'?">
    <i class="fa fa-comments"></i> <span>Komentar</span>
    <span class="pull-right-container">
      <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
    </span>
  </a>
</li>

<li>
  <a href="php echo base_url().'administrator/logout'?">
    <i class="fa fa-sign-out"></i> <span>Sign Out</span>
    <span class="pull-right-container">
      <small class="label pull-right"></small>
    </span>
  </a>

```

```

        </li>

    </ul>
</section>
<!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Data Pengurus
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Pengurus</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <div class="box-header">
                            <a class="btn btn-success btn-flat" data-toggle="modal"
data-target="#myModal"><span class="fa fa-plus"></span> Add
Pengurus</a>
                        </div>
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
style="font-size:13px;">
                                <thead>
                                    <tr>
                                        <th>Photo</th>
                                        <th>NIK</th>
                                        <th>Nama</th>
                                        <th>Jenis Kelamin</th>
                                        <th>Jabatan</th>
                                        <th style="text-align:right;">Aksi</th>
                                    </tr>
                                </thead>
                                <tbody>

                                    <?php
                                        $no=0;
                                        foreach ($data->result_array() as
$no) :
                                            $no++;
                                            $id=$i['pengurus_id'];
                                            $nis=$i['pengurus_nis'];
                                            $nama=$i['pengurus_nama'];
                                            $jenkel=$i['pengurus_jenkel'];

                                            $jabatan_id=$i['pengurus_jabatan_id'];
                                            $jabatan_nama=$i['jabatan_nama'];

```

```

        $photo=$i['pengurus_photo'];

        ?>
    <tr>
        <?php if(empty($photo)):?>
            <td></td>
            <?php else:?>
            <td></td>
            <?php endif;?>
            <td><?php echo $nis;?></td>
            <td><?php echo $nama;?></td>
            <?php if($jenkel=='L'):?>
            <td>Laki-Laki</td>
            <?php else:?>
            <td>Perempuan</td>
            <?php endif;?>
            <td><?php echo $jabatan_nama;?></td>
            <td style="text-align:right;">
                <a class="btn" data-toggle="modal" data-
target="#ModalEdit<?php echo $id;?>"><span class="fa fa-
pencil"></span></a>
                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $id;?>"><span class="fa fa-
trash"></span></a>
            </td>
        </tr>
    </tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
        <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
    </ul>
    <!-- Tab panes -->

```

```

<div class="tab-content">
  <!-- Home tab content -->
  <div class="tab-pane" id="control-sidebar-home-tab">
    <h3 class="control-sidebar-heading">Recent Activity</h3>
    <ul class="control-sidebar-menu">
      <li>
        <a href="javascript:void(0)">
          <i class="menu-icon fa fa-birthday-cake bg-red"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

            <p>Will be 23 on April 24th</p>
          </div>
        </a>
      </li>
      <li>
        <a href="javascript:void(0)">
          <i class="menu-icon fa fa-user bg-yellow"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

            <p>New phone +1(800)555-1234</p>
          </div>
        </a>
      </li>
      <li>
        <a href="javascript:void(0)">
          <i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

            <p>nora@example.com</p>
          </div>
        </a>
      </li>
      <li>
        <a href="javascript:void(0)">
          <i class="menu-icon fa fa-file-code-o bg-green"></i>

          <div class="menu-info">
            <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

            <p>Execution time 5 seconds</p>
          </div>
        </a>
      </li>
    </ul>
  <!-- /.control-sidebar-menu -->

  <h3 class="control-sidebar-heading">Tasks Progress</h3>
  <ul class="control-sidebar-menu">
    <li>
      <a href="javascript:void(0)">

```

```

                <h4 class="control-sidebar-subheading">
                    Custom Template Design
                    <span class="label label-danger pull-
right">70%</span>
                </h4>

                <div class="progress progress-xxs">
                    <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
                </div>
            </a>
        </li>
        <li>
            <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                    Update Resume
                    <span class="label label-success pull-
right">95%</span>
                </h4>

                <div class="progress progress-xxs">
                    <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
                </div>
            </a>
        </li>
        <li>
            <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                    Laravel Integration
                    <span class="label label-warning pull-
right">50%</span>
                </h4>

                <div class="progress progress-xxs">
                    <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
                </div>
            </a>
        </li>
        <li>
            <a href="javascript:void(0)">
                <h4 class="control-sidebar-subheading">
                    Back End Framework
                    <span class="label label-primary pull-
right">68%</span>
                </h4>

                <div class="progress progress-xxs">
                    <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
                </div>
            </a>
        </li>
    </ul>
    <!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->

```

```

    <div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
  <form method="post">
    <h3 class="control-sidebar-heading">General Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Report panel usage
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Some information about this general settings option
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Other sets of options are available
      </p>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
      </label>

      <p>
        Allow the user to show his name in blog posts
      </p>
    </div>
    <!-- /.form-group -->

    <h3 class="control-sidebar-heading">Chat Settings</h3>

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
      </label>
    </div>
    <!-- /.form-group -->

    <div class="form-group">
      <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
      </label>
    </div>
    <!-- /.form-group -->

```

```

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Delete chat history
                <a href="javascript:void(0)" class="text-red pull-
right"><i class="fa fa-trash-o"></i></a>
            </label>
        </div>
    </form>
    <!-- /.form-group -->
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
<div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                <h4 class="modal-title" id="myModalLabel">Add
Pengurus</h4>
            </div>
            <form class="form-horizontal" action="<?php echo
base_url(). 'admin/pengurus/simpan_pengurus?'" method="post"
enctype="multipart/form-data">
                <div class="modal-body">

                    <div class="form-group">
                        <label for="inputUserName"
class="col-sm-4 control-label">NIK</label>
                        <div class="col-sm-7">
                            <input type="text"
name="xnis" class="form-control" id="inputUserName" placeholder="NIK"
required>
                        </div>
                    </div>

                    <div class="form-group">
                        <label for="inputUserName"
class="col-sm-4 control-label">Nama</label>
                        <div class="col-sm-7">
                            <input type="text"
name="xnama" class="form-control" id="inputUserName"
placeholder="Nama" required>
                        </div>
                    </div>

                    <div class="form-group">
                        <label for="inputUserName"
class="col-sm-4 control-label">Jenis Kelamin</label>

```



```

        <div class="col-sm-7">
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="L" name="xjenkel" checked>
                <label
for="inlineRadio1"> Laki-Laki </label>
            </div>
            <div class="radio radio-
info radio-inline">
                <input type="radio"
id="inlineRadio1" value="P" name="xjenkel">
                <label
for="inlineRadio2"> Perempuan </label>
            </div>
        </div>
        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Jabatan</label>
            <div class="col-sm-7">
                <select name="xjabatan"
class="form-control" required>
                    <option value="">-Pilih-
</option>
                    <?php
                        foreach ($jabatan-
>result_array() as $k) {
                            $id_jabatan=$k['jabatan_id'];
                            $nm_jabatan=$k['jabatan_nama'];
                            ?>
                            <option value="<?php echo
$id_jabatan;?>"><?php echo $nm_jabatan;?></option>
                            <?php } ?>
                        </select>
                    </div>
                </div>
            <div class="form-group">
                <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
                <div class="col-sm-7">
                    <input type="file"
name="filefoto"/>
                </div>
            </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
        </div>
    </form>
</div>

```

```

        </div>
    </div>

    <!--Modal Edit Album-->
    <?php foreach ($data->result_array() as $i) :
        $id=$i['pengurus_id'];
        $nis=$i['pengurus_nis'];
        $nama=$i['pengurus_nama'];
        $jenkel=$i['pengurus_jenkel'];
        $jabatan_id=$i['pengurus_jabatan_id'];
        $photo=$i['pengurus_photo'];
    ?>

    <div class="modal fade" id="ModalEdit<?php echo $id;?>"
    tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
    dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
    class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
    id="myModalLabel">Edit Guru</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
    base_url(). 'admin/pengurus/update_pengurus' ?>" method="post"
    enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden" name="kode"
    value="<?php echo $id;?>"/>
                        <input type="hidden" value="<?php
    echo $photo;?>" name="gambar">
                            <div class="form-group">
                                <label for="inputUserName"
    class="col-sm-4 control-label">NIK</label>
                                <div class="col-sm-7">
                                    <input type="text"
    name="xnis" value="<?php echo $nis;?>" class="form-control"
    id="inputUserName" placeholder="NIK" required>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="inputUserName"
    class="col-sm-4 control-label">Nama</label>
                                <div class="col-sm-7">
                                    <input type="text"
    name="xnama" value="<?php echo $nama;?>" class="form-control"
    id="inputUserName" placeholder="Nama" required>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="inputUserName"
    class="col-sm-4 control-label">Jenis Kelamin</label>
                                <div class="col-sm-7">
                                    <?php if ($jenkel=='L') :?>
                                    <div class="radio radio-
    info radio-inline">
                                        <input type="radio"
    id="inlineRadiol" value="L" name="xjenkel" checked>

```

```

for="inlineRadio1"> Laki-Laki </label>
info radio-inline">
id="inlineRadio1" value="P" name="xjenkel">
for="inlineRadio2"> Perempuan </label>
info radio-inline">
id="inlineRadio1" value="L" name="xjenkel">
for="inlineRadio1"> Laki-Laki </label>
info radio-inline">
id="inlineRadio1" value="P" name="xjenkel" checked>
for="inlineRadio2"> Perempuan </label>
</div>
<?php endif;?>
</div>
</div>
<div class="form-group">
<label for="inputUserName"
class="col-sm-4 control-label">Jabatan</label>
<div class="col-sm-7">
<select name="xjabatan"
class="form-control" required>
</option>
<option value="">-Pilih-
<?php
foreach ($jabatan-
>result_array() as $k) {
$id_jabatan=$k['jabatan_id'];
$nm_jabatan=$k['jabatan_nama'];
?>
<?php
if($id_jabatan==$jabatan_id):?>
<option value=""<?php
echo $id_jabatan;?>" selected><?php echo $nm_jabatan;?></option>
<?php else:?>
<option value=""<?php
echo $id_jabatan;?>"><?php echo $nm_jabatan;?></option>
<?php endif;?>
<?php } ?>
</select>
</div>
</div>
<div class="form-group">

```

```

                                <label for="inputUserName"
class="col-sm-4 control-label">Photo</label>
                                <div class="col-sm-7">
                                    <input type="file"
name="filefoto"/>
                                </div>
                            </div>
                            <div class="modal-footer">
                                <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                                <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
            <?php endforeach;?>
            <!--Modal Edit Album-->

            <?php foreach ($data->result_array() as $i) :
                $id=$i['pengurus_id'];
                $nis=$i['pengurus_nis'];
                $nama=$i['pengurus_nama'];
                $jenkel=$i['pengurus_jenkel'];
                $jabatan_id=$i['pengurus_jabatan_id'];
                $photo=$i['pengurus_photo'];
            ?>
            <!--Modal Hapus Pengguna-->
            <div class="modal fade" id="ModalHapus<?php echo $id;?>"
tabindex="-1" role="dialog" aria-labelledby="myModalLabel">
                <div class="modal-dialog" role="document">
                    <div class="modal-content">
                        <div class="modal-header">
                            <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                            <h4 class="modal-title"
id="myModalLabel">Hapus Pengurus</h4>
                        </div>
                        <form class="form-horizontal" action="<?php echo
base_url().'admin/pengurus/hapus_pengurus'?" method="post"
enctype="multipart/form-data">
                            <div class="modal-body">
                                <input type="hidden"
name="kode" value="<?php echo $id;?>"/>
                                <input type="hidden" value="<?php echo
$photo;?>" name="gambar">
                                <p>Apakah Anda yakin mau menghapus
Pengurus <b><?php echo $nama;?></b> ?</p>
                            </div>
                        <div class="modal-footer">
                            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                        </div>
                    </form>
                </div>
            </div>

```

```

        </div>
    </div>
</div>
<?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-2.2.3.min.js'?>"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo base_url().'assets/bootstrap/js/bootstrap.min.js'?>"></script>
<!-- DataTables -->
<script src="<?php echo base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?>"></script>
<script src="<?php echo base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?>"></script>
<!-- SlimScroll -->
<script src="<?php echo base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?>"></script>
<!-- FastClick -->
<script src="<?php echo base_url().'assets/plugins/fastclick/fastclick.js'?>"></script>
<!-- AdminLTE App -->
<script src="<?php echo base_url().'assets/dist/js/app.min.js'?>"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo base_url().'assets/dist/js/demo.js'?>"></script>
<script type="text/javascript" src="<?php echo base_url().'assets/plugins/toast/jquery.toast.min.js'?>"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });
    });
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'

```

```

    });
</script>

<?php elseif($this->session->flashdata('msg')== 'success') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "Pengurus Berhasil disimpan ke database.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'info') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Info',
            text: "pengurus berhasil di update",
            showHideTransition: 'slide',
            icon: 'info',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#00C9E6'
        });
    </script>
<?php elseif($this->session->flashdata('msg')== 'success-
hapus') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Success',
            text: "pengurus Berhasil dihapus.",
            showHideTransition: 'slide',
            icon: 'success',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#7EC857'
        });
    </script>
<?php else :?>

<?php endif;?>
</body>
</html>

```

File m_jabatan

```

<?php
class M_jabatan extends CI_Model{

    function get_all_jabatan(){
        $hsl=$this->db->query("SELECT * FROM tbl_jabatan");
        return $hsl;
    }

}

```

File m_pengurus

```

<?php
class M_pengurus extends CI_Model{

```

```

function get_all_pengurus(){
    $hsl=$this->db->query("SELECT tbl_pengurus.*,jabatan_nama
FROM tbl_pengurus JOIN tbl_jabatan ON
pengurus_jabatan_id=jabatan_id");
    return $hsl;
}

function simpan_pengurus($nis,$nama,$jenkel,$jabatan,$photo){
    $hsl=$this->db->query("INSERT INTO tbl_pengurus
(pengurus_nis,pengurus_nama,pengurus_jenkel,pengurus_jabatan_id,pengu
rus_photo) VALUES ('$nis','$nama','$jenkel','$jabatan','$photo')");
    return $hsl;
}

function
simpan_pengurus_tanpa_img($nis,$nama,$jenkel,$jabatan){
    $hsl=$this->db->query("INSERT INTO tbl_pengurus
(pengurus_nis,pengurus_nama,pengurus_jenkel,pengurus_jabatan_id)
VALUES ('$nis','$nama','$jenkel','$jabatan')");
    return $hsl;
}

function
update_pengurus($kode,$nis,$nama,$jenkel,$jabatan,$photo){
    $hsl=$this->db->query("UPDATE tbl_pengurus SET
pengurus_nis='$nis',pengurus_nama='$nama',pengurus_jenkel='$jenkel',p
engurus_jabatan_id='$jabatan',pengurus_photo='$photo' WHERE
pengurus_id='$kode'");
    return $hsl;
}

function
update_pengurus_tanpa_img($kode,$nis,$nama,$jenkel,$jabatan){
    $hsl=$this->db->query("UPDATE tbl_pengurus SET
pengurus_nis='$nis',pengurus_nama='$nama',pengurus_jenkel='$jenkel',p
engurus_jabatan_id='$jabatan' WHERE pengurus_id='$kode'");
    return $hsl;
}

function hapus_pengurus($kode){
    $hsl=$this->db->query("DELETE FROM tbl_pengurus WHERE
pengurus_id='$kode'");
    return $hsl;
}

function pengurus(){
    $hsl=$this->db->query("SELECT tbl_pengurus.*,jabatan_nama
FROM tbl_pengurus JOIN tbl_jabatan ON
pengurus_jabatan_id=jabatan_id");
    return $hsl;
}

function pengurus_perpage($offset,$limit){
    $hsl=$this->db->query("SELECT tbl_pengurus.*,jabatan_nama
FROM tbl_pengurus JOIN tbl_jabatan ON pengurus_jabatan_id=jabatan_id
limit $offset,$limit");
    return $hsl;
}
}

```

11. Menu konsultasi(inbox)

File v_konsultasi

```

<!--Counter Inbox-->
<?php

```

```

        $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
        $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
        $jum_comment=$query2->num_rows();
        $jum_pesan=$query->num_rows();
    ?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Inbox</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?>">
    <!-- bootstrap datepicker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
    -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>"/>
</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
        $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->
        <section class="sidebar">

<!-- /.search form -->

```



```

<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
  <li class="header">Menu Utama</li>
  <li class="active">
    <a href="<?php echo base_url().'admin/dashboard'?">
      <i class="fa fa-home"></i> <span>Dashboard</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li class="treeview">
    <a href="#">
      <i class="fa fa-newspaper-o"></i>
      <span>Berita</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-left pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
      <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
      <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
    </ul>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengguna'?">
      <i class="fa fa-users"></i> <span>Pengguna</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/agenda'?">
      <i class="fa fa-calendar"></i> <span>Agenda</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengumuman'?">
      <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/files'?">
      <i class="fa fa-download"></i> <span>Download</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
</ul>

```

```

<li class="treeview">
  <a href="#">
    <i class="fa fa-camera"></i>
    <span>Gallery</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-left pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="<?php echo base_url().'admin/album'?>"><i
class="fa fa-clone"></i> Album</a></li>
    <li><a href="<?php echo base_url().'admin/galeri'?>"><i
class="fa fa-picture-o"></i> Photos</a></li>
  </ul>
</li>

<li class="treeview">
  <a href="#">
    <i class="fa fa-user"></i>
    <span>Data</span>
    <span class="pull-right-container">
      <i class="fa fa-angle-left pull-right"></i>
    </span>
  </a>
  <ul class="treeview-menu">
    <li><a href="<?php echo base_url().'admin/pengurus'?>"><i
class="fa fa-users"></i> Data Pengurus</a></li>
    <li><a href="<?php echo base_url().'admin/ulama'?>"><i
class="fa fa-users"></i> Data Ulama</a></li>
  </ul>
</li>

<li>
  <a href="<?php echo base_url().'admin/inbox'?>">
    <i class="fa fa-envelope"></i> <span>Inbox</span>
    <span class="pull-right-container">
      <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
    </span>
  </a>
</li>

<li>
  <a href="<?php echo base_url().'admin/komentar'?>">
    <i class="fa fa-comments"></i> <span>Komentar</span>
    <span class="pull-right-container">
      <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
    </span>
  </a>
</li>

<li>
  <a href="<?php echo base_url().'administrator/logout'?>">
    <i class="fa fa-sign-out"></i> <span>Sign Out</span>
    <span class="pull-right-container">
      <small class="label pull-right"></small>
    </span>
  </a>
</li>

```

```

</ul>
</section><!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
  <!-- Content Header (Page header) -->
  <section class="content-header">
    <h1>
      Inbox
      <small></small>
    </h1>
    <ol class="breadcrumb">
      <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
      <li class="active">Inbox</li>
    </ol>
  </section>

  <!-- Main content -->
  <section class="content">
    <div class="row">
      <div class="col-xs-12">
        <div class="box">

          <div class="box">
            <!-- /.box-header -->
            <div class="box-body">
              <table id="example1" class="table table-striped"
style="font-size:12px;">
                <thead>
                  <tr>
                    <th style="width:70px;">#Tanggal</th>
                    <th>Nama</th>
                    <th>Email</th>
                    <th>Pesan</th>
                    <th style="text-align:right;">Aksi</th>
                  </tr>
                </thead>
                <tbody>
                  <?php
                    $no=0;
                    foreach ($data->result_array() as $i) :
                      $no++;
                      $inbox_id=$i['inbox_id'];
                      $inbox_nama=$i['inbox_nama'];
                      $inbox_email=$i['inbox_email'];
                      $inbox_msg=$i['inbox_pesan'];
                      $tanggal=$i['tanggal'];

                    ?>
                  <tr>
                    <td><?php echo $tanggal;?></td>
                    <td><?php echo $inbox_nama;?></td>
                    <td><?php echo $inbox_email;?></td>
                    <td><?php echo $inbox_msg;?></td>
                    <td style="text-align:right;">

```

```

                <a class="btn" data-toggle="modal" data-
target="#ModalHapus<?php echo $inbox_id;?>"><span class="fa fa-
trash"></span></a>
            </td>
        </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">
    <!-- Create the tabs -->
    <ul class="nav nav-tabs nav-justified control-sidebar-tabs">
        <li><a href="#control-sidebar-home-tab" data-toggle="tab"><i
class="fa fa-home"></i></a></li>
        <li><a href="#control-sidebar-settings-tab" data-
toggle="tab"><i class="fa fa-gears"></i></a></li>
    </ul>
    <!-- Tab panes -->
    <div class="tab-content">
        <!-- Home tab content -->
        <div class="tab-pane" id="control-sidebar-home-tab">
            <h3 class="control-sidebar-heading">Recent Activity</h3>
            <ul class="control-sidebar-menu">
                <li>
                    <a href="javascript:void(0)">
                        <i class="menu-icon fa fa-birthday-cake bg-red"></i>

                    <div class="menu-info">
                        <h4 class="control-sidebar-subheading">Langdon's
Birthday</h4>

                        <p>Will be 23 on April 24th</p>
                    </div>
                </a>
            </li>
            <li>
                <a href="javascript:void(0)">
                    <i class="menu-icon fa fa-user bg-yellow"></i>

                <div class="menu-info">

```

```

        <h4 class="control-sidebar-subheading">Frodo Updated
His Profile</h4>

        <p>New phone +1(800)555-1234</p>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-envelope-o bg-light-
blue"></i>

        <div class="menu-info">
        <h4 class="control-sidebar-subheading">Nora Joined
Mailing List</h4>

        <p>nora@example.com</p>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<i class="menu-icon fa fa-file-code-o bg-green"></i>

        <div class="menu-info">
        <h4 class="control-sidebar-subheading">Cron Job 254
Executed</h4>

        <p>Execution time 5 seconds</p>
</div>
</a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

<h3 class="control-sidebar-heading">Tasks Progress</h3>
<ul class="control-sidebar-menu">
<li>
<a href="javascript:void(0)">
<h4 class="control-sidebar-subheading">
Custom Template Design
<span class="label label-danger pull-
right">70%</span>
</h4>

        <div class="progress progress-xxs">
        <div class="progress-bar progress-bar-danger"
style="width: 70%"></div>
</div>
</a>
</li>
<li>
<a href="javascript:void(0)">
<h4 class="control-sidebar-subheading">
Update Resume
<span class="label label-success pull-
right">95%</span>
</h4>

        <div class="progress progress-xxs">

```

```

        <div class="progress-bar progress-bar-success"
style="width: 95%"></div>
    </div>
</a>
</li>
<li>
    <a href="javascript:void(0)">
        <h4 class="control-sidebar-subheading">
            Laravel Integration
            <span class="label label-warning pull-
right">50%</span>
        </h4>

        <div class="progress progress-xxs">
            <div class="progress-bar progress-bar-warning"
style="width: 50%"></div>
        </div>
    </a>
</li>
<li>
    <a href="javascript:void(0)">
        <h4 class="control-sidebar-subheading">
            Back End Framework
            <span class="label label-primary pull-
right">68%</span>
        </h4>

        <div class="progress progress-xxs">
            <div class="progress-bar progress-bar-primary"
style="width: 68%"></div>
        </div>
    </a>
</li>
</ul>
<!-- /.control-sidebar-menu -->

</div>
<!-- /.tab-pane -->
<!-- Stats tab content -->
<div class="tab-pane" id="control-sidebar-stats-tab">Stats Tab
Content</div>
<!-- /.tab-pane -->
<!-- Settings tab content -->
<div class="tab-pane" id="control-sidebar-settings-tab">
    <form method="post">
        <h3 class="control-sidebar-heading">General Settings</h3>

        <div class="form-group">
            <label class="control-sidebar-subheading">
                Report panel usage
                <input type="checkbox" class="pull-right" checked>
            </label>

            <p>
                Some information about this general settings option
            </p>
        </div>
    <!-- /.form-group -->

    <div class="form-group">
        <label class="control-sidebar-subheading">

```

```

        Allow mail redirect
        <input type="checkbox" class="pull-right" checked>
    </label>

    <p>
        Other sets of options are available
    </p>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Expose author name in posts
        <input type="checkbox" class="pull-right" checked>
    </label>

    <p>
        Allow the user to show his name in blog posts
    </p>
</div>
<!-- /.form-group -->

<h3 class="control-sidebar-heading">Chat Settings</h3>

<div class="form-group">
    <label class="control-sidebar-subheading">
        Show me as online
        <input type="checkbox" class="pull-right" checked>
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Turn off notifications
        <input type="checkbox" class="pull-right">
    </label>
</div>
<!-- /.form-group -->

<div class="form-group">
    <label class="control-sidebar-subheading">
        Delete chat history
        <a href="javascript:void(0)" class="text-red pull-right"><i class="fa fa-trash-o"></i></a>
    </label>
</div>
<!-- /.form-group -->
</form>
</div>
<!-- /.tab-pane -->
</div>
</aside>
<!-- /.control-sidebar -->
<!-- Add the sidebar's background. This div must be placed
    immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->

```

```

        <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                        <h4 class="modal-title" id="myModalLabel">Add
Agenda</h4>
                    </div>
                    <form class="form-horizontal" action="<?php echo
base_url().'admin/agenda/simpan_agenda'?">" method="post"
enctype="multipart/form-data">
                        <div class="modal-body">
                            <div class="form-group">
                                <label for="inputUserName"
class="col-sm-4 control-label">Nama Agenda</label>
                                <div class="col-sm-7">
                                    <input type="text"
name="xnama_agenda" class="form-control" id="inputUserName"
placeholder="Nama Agenda" required>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
                                <div class="col-sm-7">
                                    <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..."
required></textarea>
                                </div>
                            </div>
                            <div class="form-group">
                                <label for="inputUserName" class="col-
sm-4 control-label">Mulai</label>
                                <div class="col-sm-7">
                                    <div class="input-group date">
                                        <div class="input-group-addon">
                                            <i class="fa fa-calendar"></i>
                                        </div>
                                        <input type="text" name="xmulai"
class="form-control pull-right" id="datepicker" required>
                                    </div>
                                </div>
                            <!-- /.input group -->
                        </div>
                        <!-- /.form group -->
                            <!-- Date range -->
                            <div class="form-group">
                                <label for="inputUserName" class="col-
sm-4 control-label">Selesai</label>
                                <div class="col-sm-7">
                                    <div class="input-group date">
                                        <div class="input-group-addon">
                                            <i class="fa fa-calendar"></i>
                                        </div>

```



```

                <input type="text" name="xselesai"
class="form-control pull-right" id="datepicker2" required>
            </div>
        </div>
        <!-- /.input group -->
    </div>
    <!-- /.form group -->
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Tempat</label>
        <div class="col-sm-7">
            <input type="text" name="xtempat"
class="form-control" id="inputUserName" placeholder="Tempat"
required>
                </div>
        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Waktu</label>
            <div class="col-sm-7">
                <input type="text" name="xwaktu"
class="form-control" id="inputUserName" placeholder="Contoh: 10.30-
11.00 WIB" required>
                    </div>
            </div>
            <div class="form-group">
                <label for="inputUserName"
class="col-sm-4 control-label">Keterangan</label>
                <div class="col-sm-7">
                    <textarea class="form-control"
name="xketerangan" rows="2" placeholder="Keterangan ..."></textarea>
                </div>
            </div>
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
        </div>
    </form>
</div>
</div>
</div>

<?php foreach ($data->result_array() as $i) :
    $inbox_id=$i['inbox_id'];
    $inbox_nama=$i['inbox_nama'];
    $inbox_email=$i['inbox_email'];
    $inbox_msg=$i['inbox_pesanan'];
    $tanggal=$i['tanggal'];
?>
<!--Modal Hapus Pengguna-->
    <div class="modal fade" id="ModalHapus<?php echo
$inbox_id;?>" tabindex="-1" role="dialog" aria-
labelledby="myModalLabel">
        <div class="modal-dialog" role="document">

```

```

        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                <h4 class="modal-title"
id="myModalLabel">Hapus Agenda</h4>
            </div>
            <form class="form-horizontal" action="<?php echo
base_url().'admin/inbox/hapus_inbox'?" method="post"
enctype="multipart/form-data">
                <div class="modal-body">
                    <input type="hidden"
name="kode" value="<?php echo $inbox_id;?"/>
                    <p>Apakah Anda yakin mau menghapus data
ini?</p>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                </div>
            </form>
        </div>
    </div>
    <?php endforeach;?>

```

```

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?">
</script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datepicker/bootstrap-
datepicker.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.js'?"></s
cript>
<!-- FastClick -->

```

```

<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?"></script>
<!-- page script -->
<script>
$(function () {
  $("#example1").DataTable();
  $('#example2').DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": false,
    "ordering": true,
    "info": true,
    "autoWidth": false
  });

  $('#datepicker').datepicker({
    autoclose: true,
    format: 'yyyy-mm-dd'
  });
  $('#datepicker2').datepicker({
    autoclose: true,
    format: 'yyyy-mm-dd'
  });
  $('.datepicker3').datepicker({
    autoclose: true,
    format: 'yyyy-mm-dd'
  });
  $('.datepicker4').datepicker({
    autoclose: true,
    format: 'yyyy-mm-dd'
  });
  $(".timepicker").timepicker({
    showInputs: true
  });

});
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
  <script type="text/javascript">
    $.toast({
      heading: 'Error',
      text: "Password dan Ulangi Password yang Anda
masukan tidak sama.",
      showHideTransition: 'slide',
      icon: 'error',
      hideAfter: false,
      position: 'bottom-right',
      bgColor: '#FF4859'
    });
  </script>

<?php elseif($this->session->flashdata('msg')== 'info') :?>
  <script type="text/javascript">

```

```

        $.toast({
            heading: 'Info',
            text: "Agenda berhasil di update",
            showHideTransition: 'slide',
            icon: 'info',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#00C9E6'
        });
    </script>
    <?php elseif($this->session->flashdata('msg')== 'success-
hapus'):?>
        <script type="text/javascript">
            $.toast({
                heading: 'Success',
                text: "Pesan Berhasil dihapus.",
                showHideTransition: 'slide',
                icon: 'success',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#7EC857'
            });
        </script>
    <?php else:?>

    <?php endif;?>
</body>
</html>

```

File m_konsultasi

```

<?php
class M_kontak extends CI_Model{

    function kirim_pesan($nama,$email,$kontak,$pesan) {
        $hsl=$this->db->query("INSERT INTO
tbl_inbox(inbox_nama,inbox_email,inbox_kontak,inbox_pesan) VALUES
('$nama','$email','$kontak','$pesan')");
        return $hsl;
    }

    function get_all_inbox(){
        $hsl=$this->db->query("SELECT
tbl_inbox.*,DATE_FORMAT(inbox_tanggal,'%d %M %Y') AS tanggal FROM
tbl_inbox ORDER BY inbox_id DESC");
        return $hsl;
    }

    function hapus_kontak($kode) {
        $hsl=$this->db->query("DELETE FROM tbl_inbox WHERE
inbox_id='$kode'");
        return $hsl;
    }

    function update_status_kontak() {
        $hsl=$this->db->query("UPDATE tbl_inbox SET
inbox_status='0'");
        return $hsl;
    }
}

```

12. Menu Komentar

File v_komentar

```
<!--Counter Inbox-->
<?php
    $query=$this->db->query("SELECT * FROM tbl_inbox WHERE
inbox_status='1'");
    $query2=$this->db->query("SELECT * FROM tbl_komentar WHERE
komentar_status='0'");
    $jum_comment=$query2->num_rows();
    $jum_pesan=$query->num_rows();
?>
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>MUI Pamekasan | Komentar</title>
    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <link rel="shortcut icon" type="text/css" href="<?php echo
base_url().'assets/images/favicon.png'?>">
    <!-- Bootstrap 3.3.6 -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/bootstrap/css/bootstrap.min.css'?>">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="<?php echo base_url().'assets/font-
awesome/css/font-awesome.min.css'?>">
    <!-- DataTables -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <!-- Theme style -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/AdminLTE.min.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.css'?>">
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.css'?>">
    <!-- bootstrap datepicker -->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/plugins/datepicker/datepicker3.css'?>">
    <!-- AdminLTE Skins. Choose a skin from the css/skins
        folder instead of downloading all of them to reduce the load.
-->
    <link rel="stylesheet" href="<?php echo
base_url().'assets/dist/css/skins/_all-skins.min.css'?>">
    <link rel="stylesheet" type="text/css" href="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.css'?>"/>

</head>
<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">

    <?php
    $this->load->view('admin/v_header');
    ?>
    <!-- Left side column. contains the logo and sidebar -->
    <aside class="main-sidebar">
        <!-- sidebar: style can be found in sidebar.less -->
```

```

<section class="sidebar">

<!-- /.search form -->
<!-- sidebar menu: : style can be found in sidebar.less -->
<ul class="sidebar-menu">
  <li class="header">Menu Utama</li>
  <li class="active">
    <a href="<?php echo base_url().'admin/dashboard'?">
      <i class="fa fa-home"></i> <span>Dashboard</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li class="treeview">
    <a href="#">
      <i class="fa fa-newspaper-o"></i>
      <span>Berita</span>
      <span class="pull-right-container">
        <i class="fa fa-angle-left pull-right"></i>
      </span>
    </a>
    <ul class="treeview-menu">
      <li><a href="<?php echo base_url().'admin/tulisan'?"><i
class="fa fa-list"></i> List Berita</a></li>
      <li><a href="<?php echo
base_url().'admin/tulisan/add_tulisan'?"><i class="fa fa-thumb-
tack"></i> Post Berita</a></li>
      <li><a href="<?php echo base_url().'admin/kategori'?"><i
class="fa fa-wrench"></i> Kategori</a></li>
    </ul>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengguna'?">
      <i class="fa fa-users"></i> <span>Pengguna</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/agenda'?">
      <i class="fa fa-calendar"></i> <span>Agenda</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/pengumuman'?">
      <i class="fa fa-volume-up"></i> <span>Pengumuman</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>
  <li>
    <a href="<?php echo base_url().'admin/files'?">
      <i class="fa fa-download"></i> <span>Download</span>
      <span class="pull-right-container">
        <small class="label pull-right"></small>
      </span>
    </a>
  </li>

```

```

        </span>
    </a>
</li>
<li class="treeview">
    <a href="#">
        <i class="fa fa-camera"></i>
        <span>Gallery</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/album'?>"><i
class="fa fa-clone"></i> Album</a></li>
        <li><a href="<?php echo base_url().'admin/galeri'?>"><i
class="fa fa-picture-o"></i> Photos</a></li>
    </ul>
</li>

<li class="treeview">
    <a href="#">
        <i class="fa fa-user"></i>
        <span>Data</span>
        <span class="pull-right-container">
            <i class="fa fa-angle-left pull-right"></i>
        </span>
    </a>
    <ul class="treeview-menu">
        <li><a href="<?php echo base_url().'admin/pengurus'?>"><i
class="fa fa-users"></i> Data Pengurus</a></li>
        <li><a href="<?php echo base_url().'admin/ulama'?>"><i
class="fa fa-users"></i> Data Ulama</a></li>

    </ul>
</li>

<li>
    <a href="<?php echo base_url().'admin/inbox'?>">
        <i class="fa fa-envelope"></i> <span>Inbox</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_pesan;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'admin/komentar'?>">
        <i class="fa fa-comments"></i> <span>Komentar</span>
        <span class="pull-right-container">
            <small class="label pull-right bg-green"><?php echo
$jum_comment;?></small>
        </span>
    </a>
</li>

<li>
    <a href="<?php echo base_url().'administrator/logout'?>">
        <i class="fa fa-sign-out"></i> <span>Sign Out</span>
        <span class="pull-right-container">
            <small class="label pull-right"></small>
        </span>
    </a>
</li>

```

```

        </span>
    </a>
</li>

</ul>
</section><!-- /.sidebar -->
</aside>

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
    <!-- Content Header (Page header) -->
    <section class="content-header">
        <h1>
            Komentar
            <small></small>
        </h1>
        <ol class="breadcrumb">
            <li><a href="#"><i class="fa fa-dashboard"></i> Home</a></li>
            <li class="active">Komentar</li>
        </ol>
    </section>

    <!-- Main content -->
    <section class="content">
        <div class="row">
            <div class="col-xs-12">
                <div class="box">

                    <div class="box">
                        <!-- /.box-header -->
                        <div class="box-body">
                            <table id="example1" class="table table-striped"
style="font-size:12px;">
                                <thead>
                                    <tr>
                                        <th>Nama</th>
                                        <th>Komentar</th>
                                        <th>Tanggapan Untuk</th>
                                        <th>Dikirimkan Pada</th>
                                        <th style="text-align:right;">Aksi</th>
                                    </tr>
                                </thead>
                                <tbody>
                                    <?php
                                foreach ($data->result() as $row) :?>
                                    <tr>
                                        <td><?php echo $row->komentar_nama;?></td>
                                        <td><?php echo $row->komentar_isi;?></td>
                                        <td><a href="<?php echo site_url('artikel/'.$row->tulisan_slug);?>" target="_blank"><?php echo $row->tulisan_judul;?></a></td>
                                        <td><?php echo date("d M Y H:i", strtotime($row->komentar_tanggal));?></td>
                                        <td style="text-align:right;">
                                            <?php if($row->komentar_status=='1' && $row->komentar_parent=='0') :?>
                                                <a class="btn btn-reply"
href="javascript:void(0);" data-id="<?php echo $row->komentar_id;?>"
data-post_id="<?php echo $row->komentar_tulisan_id;?>"
title="Balas"><span class="fa fa-reply"></span></a>

```



```

                <a class="btn btn-hapus"
href="javascript:void(0);" data-id="<?php echo $row->komentar_id;?>"
title="Hapus"><span class="fa fa-trash"></span></a>
                <?php elseif($row->komentar_status=='1'):?>
                <a class="btn btn-hapus"
href="javascript:void(0);" data-id="<?php echo $row->komentar_id;?>"
title="Hapus"><span class="fa fa-trash"></span></a>
                <?php else:?>
                <a class="btn" href="<?php echo
site_url('admin/komentar/publish/'.$row->komentar_id);?>"
title="Publish"><span class="fa fa-send"></span></a>
                <a class="btn btn-hapus"
href="javascript:void(0);" data-id="<?php echo $row->komentar_id;?>"
title="Hapus"><span class="fa fa-trash"></span></a>
                <?php endif;?>
            </td>
        </tr>
    <?php endforeach;?>
</tbody>
</table>
</div>
<!-- /.box-body -->
</div>
<!-- /.box -->
</div>
<!-- /.col -->
</div>
<!-- /.row -->
</section>
<!-- /.content -->
</div>
<!-- /.content-wrapper -->
<footer class="main-footer">
    <div class="pull-right hidden-xs">
        <b>Version</b> 1.0
    </div>
    <strong>Copyright &copy; 2017 <a href="http://mfikri.com">M Fikri
Setiadi</a>.</strong> All rights reserved.
</footer>

<!-- Add the sidebar's background. This div must be placed
immediately after the control sidebar -->
<div class="control-sidebar-bg"></div>
</div>
<!-- ./wrapper -->

<!--Modal Add Pengguna-->
    <div class="modal fade" id="myModal" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title" id="myModalLabel">Add
Agenda</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url(). 'admin/agenda/simpan_agenda' ?>" method="post"
enctype="multipart/form-data">

```

```

<div class="modal-body">
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Nama Agenda</label>
        <div class="col-sm-7">
            <input type="text"
name="xnama_agenda" class="form-control" id="inputUserName"
placeholder="Nama Agenda" required>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Deskripsi</label>
        <div class="col-sm-7">
            <textarea class="form-control"
rows="3" name="xdeskripsi" placeholder="Deskripsi ..."
required></textarea>
        </div>
    </div>
    <div class="form-group">
        <label for="inputUserName" class="col-
sm-4 control-label">Mulai</label>
        <div class="col-sm-7">
            <div class="input-group date">
                <div class="input-group-addon">
                    <i class="fa fa-calendar"></i>
                </div>
                <input type="text" name="xmulai"
class="form-control pull-right" id="datepicker" required>
            </div>
        </div>
        <!-- /.input group -->
    </div>
    <!-- /.form group -->
    <!-- Date range -->
    <div class="form-group">
        <label for="inputUserName" class="col-
sm-4 control-label">Selesai</label>
        <div class="col-sm-7">
            <div class="input-group date">
                <div class="input-group-addon">
                    <i class="fa fa-calendar"></i>
                </div>
                <input type="text" name="xselesai"
class="form-control pull-right" id="datepicker2" required>
            </div>
        </div>
        <!-- /.input group -->
    </div>
    <!-- /.form group -->
    <div class="form-group">
        <label for="inputUserName"
class="col-sm-4 control-label">Tempat</label>
        <div class="col-sm-7">
            <input type="text" name="xtempat"
class="form-control" id="inputUserName" placeholder="Tempat"
required>
        </div>
    </div>

```

```

        </div>
        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Waktu</label>
            <div class="col-sm-7">
                <input type="text" name="xwaktu"
class="form-control" id="inputUserName" placeholder="Contoh: 10.30-
11.00 WIB" required>
            </div>
        </div>

        <div class="form-group">
            <label for="inputUserName"
class="col-sm-4 control-label">Keterangan</label>
            <div class="col-sm-7">
                <textarea class="form-control"
name="xketerangan" rows="2" placeholder="Keterangan ..."></textarea>
            </div>
        </div>

        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
            <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Simpan</button>
        </div>
    </form>
</div>
</div>
</div>

    <div class="modal fade" id="ModalHapus" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                    <h4 class="modal-title"
id="myModalLabel">Hapus Komentar</h4>
                </div>
                <form class="form-horizontal" action="<?php echo
base_url().'admin/komentar/hapus?'" method="post"
enctype="multipart/form-data">
                    <div class="modal-body">
                        <input type="hidden"
name="kode" value=""/>
                        <p>Apakah Anda yakin mau menghapus
komentar ini?</p>
                    </div>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Hapus</button>
                </div>
            </div>
        </div>
    </div>

```

```

        </form>
    </div>
</div>

<!--Modal Relpy-->
<div class="modal fade" id="ModalReply" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><span aria-hidden="true"><span
class="fa fa-close"></span></span></button>
                <h4 class="modal-title"
id="myModalLabel">Reply</h4>
            </div>
            <form class="form-horizontal" action="<?php echo
base_url().'admin/komentar/reply'?" method="post"
enctype="multipart/form-data">
                <div class="modal-body">
                    <input type="hidden"
name="komenid" value=""/>
                    <input type="hidden" name="postid" value=""/>
                    <textarea name="komentar" class="form-
control" rows="8" cols="80" required></textarea>
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-default
btn-flat" data-dismiss="modal">Close</button>
                    <button type="submit" class="btn btn-primary
btn-flat" id="simpan">Relpy</button>
                </div>
            </form>
        </div>
    </div>
</div>
</div>

<!-- jQuery 2.2.3 -->
<script src="<?php echo base_url().'assets/plugins/jquery/jquery-
2.2.3.min.js'?"></script>
<!-- Bootstrap 3.3.6 -->
<script src="<?php echo
base_url().'assets/bootstrap/js/bootstrap.min.js'?"></script>
<!-- DataTables -->
<script src="<?php echo
base_url().'assets/plugins/datatables/jquery.dataTables.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datatables/dataTables.bootstrap.min.js'?">
</script>
<!-- SlimScroll -->
<script src="<?php echo
base_url().'assets/plugins/slimScroll/jquery.slimscroll.min.js'?"></
script>
<script src="<?php echo
base_url().'assets/plugins/datepicker/bootstrap-
datepicker.js'?"></script>
<script src="<?php echo
base_url().'assets/plugins/timepicker/bootstrap-
timepicker.min.js'?"></script>

```

```

<script src="<?php echo
base_url().'assets/plugins/daterangepicker/daterangepicker.js'?"></s
cript>
<!-- FastClick -->
<script src="<?php echo
base_url().'assets/plugins/fastclick/fastclick.js'?"></script>
<!-- AdminLTE App -->
<script src="<?php echo
base_url().'assets/dist/js/app.min.js'?"></script>
<!-- AdminLTE for demo purposes -->
<script src="<?php echo
base_url().'assets/dist/js/demo.js'?"></script>
<script type="text/javascript" src="<?php echo
base_url().'assets/plugins/toast/jquery.toast.min.js'?"></script>
<!-- page script -->
<script>
    $(function () {
        $("#example1").DataTable();
        $('#example2').DataTable({
            "paging": true,
            "lengthChange": false,
            "searching": false,
            "ordering": true,
            "info": true,
            "autoWidth": false
        });

        $('#datepicker').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker2').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker3').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $('#datepicker4').datepicker({
            autoclose: true,
            format: 'yyyy-mm-dd'
        });
        $(".timepicker").timepicker({
            showInputs: true
        });

        $('#example1').on('click', '.btn-reply', function () {
            var komentar_id = $(this).data('id');
            var post_id = $(this).data('post_id');
            $('#ModalReply').modal('show');
            $('[name="komenid"]').val(komentar_id);
            $('[name="postid"]').val(post_id);
        });

        $('#example1').on('click', '.btn-hapus', function () {
            var komentar_id = $(this).data('id');
            $('#ModalHapus').modal('show');
            $('[name="kode"]').val(komentar_id);
        });
    });

```

```

    });
</script>
<?php if($this->session->flashdata('msg')== 'error') :?>
    <script type="text/javascript">
        $.toast({
            heading: 'Error',
            text: "Password dan Ulangi Password yang Anda
            masukan tidak sama.",
            showHideTransition: 'slide',
            icon: 'error',
            hideAfter: false,
            position: 'bottom-right',
            bgColor: '#FF4859'
        });
    </script>

    <?php elseif($this->session->flashdata('msg')== 'info') :?>
        <script type="text/javascript">
            $.toast({
                heading: 'Info',
                text: "Komentar berhasil di Balas",
                showHideTransition: 'slide',
                icon: 'info',
                hideAfter: false,
                position: 'bottom-right',
                bgColor: '#00C9E6'
            });
        </script>
        <?php elseif($this->session->flashdata('msg')== 'success') :?>
            <script type="text/javascript">
                $.toast({
                    heading: 'Success',
                    text: "Komentar Berhasil Publish.",
                    showHideTransition: 'slide',
                    icon: 'success',
                    hideAfter: false,
                    position: 'bottom-right',
                    bgColor: '#7EC857'
                });
            </script>
            <?php elseif($this->session->flashdata('msg')== 'success-
            hapus') :?>
                <script type="text/javascript">
                    $.toast({
                        heading: 'Success',
                        text: "Komentar Berhasil dihapus.",
                        showHideTransition: 'slide',
                        icon: 'success',
                        hideAfter: false,
                        position: 'bottom-right',
                        bgColor: '#7EC857'
                    });
                </script>
            <?php else :?>

            <?php endif;?>
</body>
</html>

```

